

US astronauts begin key ISS repair spacewalk

7 August 2010

Two International Space Station astronauts set out Saturday on the first of two spacewalks to fix a cooling pump that dramatically failed last week.

ISS astronauts will need at least two [spacewalks](#) to remove the failed ammonia pump unit and replace it with a new one after the device failed a week ago.

Doug Wheelock and Tracy Caldwell Dyson slept in the Quest airlock module overnight to accommodate their bodies to a different pressure and were awakened at about 2:00 am (0600 GMT) to begin final preparations for their work.

They activated battery power and other life-support systems inside their spacesuits, and opened the hatch at 7:19 am (1119 GMT), a procedure that officially marked the beginning of their seven-hour walk.

The beginning of the walk was slightly delayed because of what was described by US space officials as a "communication problem" inside Caldwell Dyson's helmet. The problem has been successfully resolved, the official said.

The first spacewalk will focus on removing the ammonia pump module that failed last Saturday and putting its replacement in place, according to officials from the National Aeronautics and Space Administration.

A second spacewalk is planned Wednesday to connect fluid ammonia lines to the replacement pump.

Mission managers plan a final review of that plan early next week, incorporating updated information on the station's configuration after the first spacewalk, NASA officials said.

The spacewalks are challenging because the crew will be handling ammonia lines at full operating

pressure, which makes the lines stiff during reconnection and mating, experts warned.

The timeline for the spacewalk will require numerous "break-out points" to ensure adequate time to complete decontamination procedures if the crew comes in contact with ammonia.

Once the failed unit has been removed, the two astronauts will have to move a 780-pound (355 kilograms) spare unit around 30 feet (10 meters) from the opposite side of the truss for insertion into the gap left by the defective pump module.

"This is a big, unwieldy object, so maneuvering it around and handing it off to crew members... could take some time and a lot of focus," Courtenay McMillan, the spacewalk flight director for the expedition, told reporters earlier in the week.

But robotics experts have devised procedures that will be used by station crew member Shannon Walker to guide the station's robotic arm, Canadarm2, from the robotics workstation in the Destiny Laboratory.

She will move Wheelock into position to swap the failed unit with the spare unit, stored on an external stowage platform.

That spare parts carrier is attached to the Quest airlock that Wheelock and Caldwell Dyson will use to exit and reenter the station.

The crew faced a very tight lead time for such a tricky spacewalk -- less than a week when NASA usually takes two weeks to prepare for a spacewalk to fix a "Big 14 failure," when a major unit stops working.

If the second of the two ISS cooling units fails -- a highly unlikely scenario, according to NASA -- then the ISS astronauts would no longer be able to cool most of space station components.

The crew would not be in danger however because they could move to the Russian segment of the ISS, which has its own cooling system.

Astronauts tried to reactivate the pump module after Saturday's failure, but the circuit breaker tripped, [NASA](#) said.

(c) 2010 AFP

APA citation: US astronauts begin key ISS repair spacewalk (2010, August 7) retrieved 22 February 2020 from <https://phys.org/news/2010-08-astronauts-key-iss-spacewalk.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.