


One-dimensional window on superconductivity, magnetism: Atoms are proxies for electrons in ultracold optical emulator

September 29 2010



Rice University graduate student Yean-an Liao created a precise analog of a one-dimensional superconducting wire by trapping ultracold lithium atoms in a grid of laser beams. Credit: Jeff Fitlow/Rice University


A Rice University-led team of physicists is reporting the first success in a three-year effort to build a precision simulator for superconductors using a grid of intersecting laser beams and ultracold atomic gas.

The research appears this week in the journal *Nature*. Using lithium [atoms](#) cooled to within a few billionths of a degree of absolute zero and loaded into optical tubes, the researchers created a precise analog of a one-dimensional [superconducting wire](#).

Because the atoms in the experiment are so cold, they behave according to the same quantum mechanical rules that dictate how [electrons](#) behave. That means the lithium atoms can serve as stand-ins for electrons, and by trapping and holding the [lithium](#) atoms in beams of light, researchers can observe how electrons would behave in particular types of [superconductors](#) and other materials.

"We can tune the spacing and interactions among these [ultracold atoms](#) with great precision, so much so that using the atoms to emulate exotic materials like superconductors can teach us some things we couldn't learn by studying the superconductors themselves," said study co-author Randy Hulet, a Rice physicist who's leading a team of physicists at Rice and six other universities under the Defense Advanced Research Projects Agency's (DARPA) [Optical Lattice](#) Emulator (OLE) program.

In the Nature study, Hulet, Cornell University physicist Erich Mueller, Rice graduate students and postdoctoral researchers Yean-an Liao, Sophie Rittner, Tobias Paprotta, Wenhui Li and Gutherie Partridge and Cornell graduate student Stefan Baur created an emulator that allowed them to simultaneously examine superconductivity and magnetism -- phenomena that do not generally coexist.



Schematic showing an array of tubes containing lithium atoms. The system is probed by imaging the shadow cast by this ensemble. Image credit: Nature Supplementary Information

Superconductivity occurs when electrons flow in a material without the friction that causes [electrical resistance](#). Superconductivity usually happens at very low temperatures when pairs of electrons join together in a dance that lets them avoid the subatomic bumps that cause friction.

Magnetism derives from one of the basic properties of all electrons -- the fact that they rotate around their own axis. This property, which is called "spin," is inherent; like the color of someone's eyes, it never changes. Electron spin also comes in only two orientations, up or down, and magnetic materials are those where the number of electrons with up spins differs from the number with down spins, leaving a "net magnetic moment."

"Generally, magnetism destroys superconductivity because changing the relative number of up and down spins disrupts the basic mechanism of superconductivity," Hulet said. "But in 1964, a group of physicists predicted that a magnetic superconductor could be formed under an exotic set of circumstances where a net magnetic moment arose out of a periodic pattern of excess spins and pairs."

Dubbed the "FFLO" state in honor of the theorists who proposed it -- Fulde, Ferrell, Larkin and Ovchinnikov -- this state of matter has defied conclusive experimental observation for 46 years. Hulet said the new study paves the way for direct observation of the FFLO state.

"The evidence that we've gathered meets the criteria of the FFLO state,

but we can't say for certain that we have observed it. To do that, we need to precisely measure the distribution of velocities of the pairs to confirm that they follow the FFLO relationship. We're working on that now."

Provided by Rice University

Citation: One-dimensional window on superconductivity, magnetism: Atoms are proxies for electrons in ultracold optical emulator (2010, September 29) retrieved 21 September 2024 from <https://phys.org/news/2010-09-one-dimensional-window-superconductivity-magnetism-atoms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.