

UBC physicists make atoms and dark matter add up

November 29 2010

Physicists at the University of British Columbia and TRIUMF have proposed a unified explanation for dark matter and the so-called baryon asymmetry -- the apparent imbalance of matter with positive baryon charge and antimatter with negative baryon charge in the Universe.

The visible [Universe](#) appears to be made of [atoms](#), and each of these atoms carries a positive baryon charge equal to total number of protons and neutrons in its nucleus.

However, since the discovery of antimatter in 1932, researchers have wondered why the Universe doesn't hold a neutral baryon charge--requiring as much negatively charged antimatter as positively charged matter.

This net [asymmetry](#) of particles over antiparticles remains one of the biggest unsolved mysteries in physics.

"We've proposed a matter formation scenario where the positive baryon number of visible atoms is in balance with the equal and opposite negative baryon number of [dark matter](#)," says Kris Sigurdson, an assistant professor of Physics and Astronomy at UBC, who worked with colleagues at TRIUMF, Canada's National Laboratory for [Particle Physics](#), and researchers at Brookhaven National Laboratory in the US, on the theory.

"This links the formation of atoms and dark matter and helps resolve the

baryon asymmetry mystery, as the total dark plus visible baryon balance of the Universe is restored."

The proposal was published November 19 in the journal [Physical Review Letters](#).

Observations of the the big bang's afterglow, the [cosmic microwave background](#), by the WMAP satellite now show about 4.6 per cent of the Universe (by density) is comprised of atoms, with about five times more dark matter (23 per cent).

The cosmic balancing act proposed by the researchers may explain why the measured densities of dark matter and atoms differ only by a factor of five.

The researchers also predict an entirely new method to detect dark matter.

"Occasionally a dark-matter antiparticle may collide with and annihilate an ordinary atomic particle, releasing a burst of energy," says Sigurdson. "While extremely rare, this means dark matter might be observed in nucleon decay experiments on Earth that look for the spontaneous decay of protons."

Dark matter - first hinted at nearly 80 years ago - is an elusive material inferred to exist from measurements of its gravitational effects on visible matter in galaxies, background radiation, and the Universe as a whole. It interacts very weakly with ordinary matter and, while playing a key role in our Universe, is almost undetectable.

Provided by University of British Columbia

Citation: UBC physicists make atoms and dark matter add up (2010, November 29) retrieved 22 September 2024 from <https://phys.org/news/2010-11-ubc-physicists-atoms-dark.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.