


New measurement into biological polymer networks

March 4 2011



Confocal micrograph of an actin-filamin network. Credit: Kurt Schmoller, Technische Universtaet Muenchen (Technical University of Munich)

(PhysOrg.com) -- The development of a new measurement technology under a research project funded by the Air Force Office of Scientific Research and the National Science Foundation is probing the structure of composite and biological materials.

"Our results have provided some of the first microscopic insights into a sixty year old puzzle about the way polymeric networks react to repeated shear strains," said Dr. Daniel Blair, Assistant Professor, and principal investigator of the Soft Matter Group in the Department of Physics at Georgetown University.

Blair, Professor Andreas Bausch and other researchers at Technische Universtaet Muenchen (Technical University of Munich) used the muscle filament known as actin to construct a unique polymer network. In their quest to understand more about bio-polymers, they developed the rheometer and confocal microscope system (measures the mechanical properties of materials), which provide a unique and unprecedented level of precision and sensitivity for investigating polymeric systems which were previously too small to visualize during mechanical stress experiments. The rheometer and confocal microscopes clearly visualized the fluorescently labeled actin network and they filmed the polymer filaments' movement in 3-D when [mechanical stress](#) was applied.

The rheometer and confocal microscopes, will help to lay the groundwork for future generations of materials that will possibly be used to create synthesized muscle tissue for the Air Force. These materials may even be ideally suited for powering micro-robots.

The rheometer and confocal microscopes enabled the scientists to see the shearing process during the Mullins Effect when biological polymers become dramatically softer as seen in conventional polymers. Moreover, these materials also demonstrate dramatic strengthening in a way that is very different compared to conventional polymeric solids.

The researchers' next steps will be to use the Mullins Effect as a mechanical standard for understanding the properties of composite and biological networks.

"We will use confocal-rheology as a benchmark system for generating new collaborations and expanding the technique to other AFOSR sponsored projects," said Blair. "For example, in collaboration with Dr. Fritz Vollrath of the Oxford Silk Group and Dr. David Kaplan from Tufts University, we are investigating how shear stress influences the

formation of silk fibers."

Blair noted that the new technology is impacting a number of other AFOSR supported projects as a platform for investigating the strengthening of nano-composite networks such as carbon nanotubes and cellulose nanofibers embedded in conventional materials.

Blair predicts that there will be possible private sector uses for the new technology in the area of the green revolution and its inherent smart, soft biological materials.

Provided by Air Force Office of Scientific Research

Citation: New measurement into biological polymer networks (2011, March 4) retrieved 19 September 2024 from <https://phys.org/news/2011-03-biological-polymer-networks.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.