

# New silkworm diet produces colored silk and possible medical advantages

18 March 2011, by Deborah Braconnier



Intrinsically colored silk cocoon produced through effective uptake of Rhodamine B into a silkworm. (A) Photographs of a silkworm with modified feed containing Rhodamine B and its resulting colored cocoon. (B) Photographs of a silkworm with normal feed and its resulting white cocoon. Image credit: Natalia C. Tansil, DOI:10.1002/adma.201003860

(PhysOrg.com) -- The Institute of Materials Research and Engineering (IMRE) in Singapore has developed a way to replace the traditional dyeing process necessary to make colored silk. A simple dietary change for the silkworm larva and they are able to produce silk in a variety of colors, with the color directly integrated into the fibers.

The process designed by the researchers involves feeding a diet of mulberries treated with [fluorescent dye](#) to the [silkworms](#) in the last four days of the larva stage. Once the silkworms ingest the dye they then turn the color of the dye they were fed. The silkworms then spin their [cocoon](#) with the resulting color of the silk matching the dye they ingested.

By integrating the dye directly into the silk before it is even spun creates a more environmentally friendly process for adding color to silk. The current process of dyeing silk requires large amounts of water as well as chemicals, and is extremely time

consuming. By refining this process to get the desired colors, the need to dye silks in the traditional way may be eliminated.

Researchers believe that this method can be adapted for large scale farms and is very cost effective. The addition of the dyes to the silkworm diet does not alter the structure of the silk itself, so once the cocoons are spun, they can be harvested and processed utilizing normal procedures.

The integration of dye into the silkworm's diet to create a colored silk has also opened the door to other possibilities. With the strength of silk itself, it has been used for many years as sutures and wound dressings. Researchers are now looking into the possibility of adding different compounds to the silkworm diet to produce silk with antibacterial, anticoagulant, and anti-inflammatory properties.

This new research holds the benefit of not only reducing the environmental footprint by eliminating the dyeing process for [silk](#), but could lead to possible breakthroughs in medical treatments and wound care.

**More information:** Intrinsically Colored and Luminescent Silk, by Natalia C. Tansil et al., *Advanced Materials*, Article first published online: 9 FEB 2011. [DOI:10.1002/adma.201003860](https://doi.org/10.1002/adma.201003860)

(c) 2010 PhysOrg.com

APA citation: New silkworm diet produces colored silk and possible medical advantages (2011, March 18) retrieved 28 November 2022 from <https://phys.org/news/2011-03-silkworm-diet-silk-medical-advantages.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*