


# New insights into the 'hidden' galaxies of the universe

June 14 2011

---



The galaxy ESO 546G-34 is small faint and unevolved low surface brightness galaxy of dwarf-type, which makes it somewhat similar to the Small Magellanic Cloud (companion galaxy to the Milky Way) in appearance. ESO 546G-34 has an extremely low abundance of heavier elements and contains at least 50 percent gas, which also makes it similar to the small galaxies that were abundant in the early universe. Credit: ESO

A unique example of some of the lowest surface brightness galaxies in the universe have been found by an international team of astronomers lead by the Niels Bohr Institute. The galaxy has lower amounts of heavier elements than other known galaxies of this type. The discovery means that small low surface brightness galaxies may have more in common with the first galaxies formed shortly after the Big Bang than

previously thought. The results have been published in *Monthly Notices of the Royal Astronomical Society*.


As the name implies, the [galaxies](#) are faint and therefore difficult to find and challenging to observe. The galaxy called ESO 546-G34 is a nearly 20 year old observation that no one had previously taken much notice of. The observation has now been analysed using new methods and it is only now that astronomers have realised how special it is.

"The galaxy gives us an idea of how the galaxies must have looked before [star formation](#) really got going", explains Lars Mattsson, an [astrophysicist](#) at the Dark [Cosmology](#) Centre at the Niels Bohr Institute, University of Copenhagen. The discovery was made in collaboration with astronomers at Uppsala University and the [Astronomical Observatory](#) in Kiev.

## **The evolution of galaxies**

A galaxy consists of many millions or billions of stars. Stars are formed when giant gas clouds condense and form a ball of glowing gas – a star. A star produces energy through the fusion of hydrogen into helium, which fuses into carbon and oxygen and further into heavier and heavier elements. The process of conversion from gases to heavier elements takes anywhere from hundreds of thousands of years to billions of years.

Most of the known galaxies that have only formed small amounts of the heavy elements are young galaxies that are undergoing gigantic outbursts of star formation. This makes them incredibly bright and easier to observe. One type of galaxy with bursts of star formation is called blue compact galaxies, as newly formed stars emit a bluish light.



Compared to other galaxies of this type the ESO 546G-34 has a very low content of oxygen, nitrogen and an extremely small amounts of heavier elements. It contains at least 50 percent gas, which is several times higher than the corresponding values for a large evolved galaxy like the Milky Way. Also the amount of stars is lower. Credit: Lars Mattsson

### **'Unevolved' dwarf galaxy**

The galaxy that has been observed is small and contains only extremely small amounts of the heavier elements. That it consists mostly of the gases hydrogen and helium and is so faint means that it has only just begun to form stars.

"Our analysis shows that while a large, mature galaxy like our own galaxy, the Milky Way, is comprised of around 15-20 percent gas, this faint little galaxy is comprised of up to 50 percent gas and is very poor in heavier elements. This means that it is very unevolved", explains Lars Mattsson.

The theory is that the very small faint galaxies collide with each other and the greater concentration of gas material and dynamical disturbance boosts star formation and thereby form the larger blue, compact galaxies.

"ESO 546-G34 is a left over dwarf galaxy that doesn't seem to have collided with other galaxies. This gives us unique insight into how the earliest [galaxies](#) in the universe may have looked", explains Lars Mattsson.

**More information:** Paper preprint: [arxiv.org/abs/1105.3650](https://arxiv.org/abs/1105.3650)

Provided by University of Copenhagen

Citation: New insights into the 'hidden' galaxies of the universe (2011, June 14) retrieved 19 September 2024 from <https://phys.org/news/2011-06-insights-hidden-galaxies-universe.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.