


# New LROC images offer sharper views of Apollo 12, 14, 17 sites

September 6 2011



The tracks made in 1969 by astronauts Pete Conrad and Alan Bean, the third and fourth humans to walk on the Moon, can be seen in this LRO image of the Apollo 12 site. The location of the descent stage for Apollo 12's lunar module, Intrepid, also can be seen. Conrad and Bean performed two Moon walks on this flat lava plain in the Oceanus Procellarum region of the Moon. In the first walk, they collected samples and chose the location for the lunar monitoring equipment known as the Apollo Lunar Surface Experiments Package (ALSEP). The ALSEP sent scientific data about the Moon's interior and surface environment back to Earth for more than seven years. A surprising detail of the ALSEP is visible in the image: a bright L-shape marks the locations of cables

running from ALSEP's central station to two of its instruments. These instruments are probably (left) the Suprathermal Ion Detector Experiment, or SIDE, which studied positively charged particles near the Moon's surface, and (right) the Lunar Surface Magnetometer, or LSM, which looked for variations in the Moon's magnetic field over time; these two instruments had the longest cables running from the central station. Though the cables are much too small to be seen directly, they show up because the material they are made from reflects light very well. In the second Moon walk, Conrad and Bean set out from the descent stage and looped around Head crater, visiting Bench crater and Sharp crater, then headed east and north to the landing site of Surveyor 3. There, the astronauts collected some hardware from the unmanned Surveyor spacecraft, which had landed two years earlier. The two astronauts covered this entire area on foot, carrying all of their tools and equipment and more than 32 kilograms (roughly 60 pounds) of lunar samples. Photo by: NASA/GSFC/Arizona State University

(PhysOrg.com) -- The Arizona State University team that oversees the imaging system on board NASA's Lunar Reconnaissance Orbiter has released the sharpest images ever taken from space of the Apollo 12, 14 and 17 sites, more clearly showing the paths made when the astronauts explored these areas.

The higher resolution of these [images](#) is possible because of adjustments made to LRO's elliptical orbit. On August 10 a special pair of stationkeeping maneuvers were performed in place of the standard maneuvers, lowering [LRO](#) from its usual altitude of 50 kilometers (about 31 miles) to an altitude that dipped as low as 21 kilometers (nearly 13 miles) as it passed over the Moon's surface.

“The new low-altitude Narrow Angle Camera images sharpen our view of the Moon's surface,” says Mark Robinson, the Principal Investigator for LROC and professor in the School of Earth and Space Exploration in

ASU's College of Liberal Arts and Sciences. The LROC imaging system consists of two Narrow Angle Cameras (NACs) to provide high-resolution images, and a Wide Angle Camera (WAC) to provide 100-meter resolution images in seven color bands over a 57-km swath.

“A great example is the sharpness of the rover tracks at the Apollo 17 site,” Robinson says. “In previous images the rover tracks were visible, but now they are sharp parallel lines on the surface!”

The maneuvers were carefully designed so that the lowest altitudes occurred over some of the Apollo landing sites.

At the Apollo 17 site, the tracks laid down by the lunar rover are clearly visible, along with distinct trails left in the Moon's thin soil when the astronauts exited the lunar modules and explored on foot. In the Apollo 17 image, the foot trails—including the last path made on the Moon by humans—are more easily distinguished from the dual tracks left by the lunar rover, which remains parked east of the lander.

At each site, trails also run to the west of the landers, where the astronauts placed the Apollo Lunar Surface Experiments Package (ALSEP), providing the first insights into the Moon's internal structure and first measurements of its surface pressure and the composition of its atmosphere.

One of the details that shows up is a bright L-shape in the Apollo 12 image marking the locations of cables running from ALSEP's central station to two of its instruments. Though the cables are much too small to be resolved, they show up because the material they are made from reflects light very well and thus stand out against the dark lunar soil.

The spacecraft has remained in this orbit for 28 days, long enough for the Moon to completely rotate underneath, thus also allowing full

coverage of the surface by LROC's Wide Angle Camera. This low-orbit cycle ends today when the spacecraft will be returned to the 50-kilometer orbit.

**More information:** These and other LROC images are available at: [roc.sese.asu.edu/](http://roc.sese.asu.edu/)

Provided by Arizona State University

Citation: New LROC images offer sharper views of Apollo 12, 14, 17 sites (2011, September 6) retrieved 26 April 2024 from <https://phys.org/news/2011-09-roc-images-sharper-views-apollo.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.