

First-of-a-kind tension wood study broadens biofuels research

October 25 2011



Poplar stems (left) respond to bending stress by producing tension wood, which has characteristics desirable in a bioenergy feedstock. Electron micrographs from a comprehensive BESC study reveal how tension wood (bottom right) develops a secondary cell wall layer, in contrast to normal wood (top right).

Taking a cue from Mother Nature, researchers at the Department of Energy's BioEnergy Science Center have undertaken a first-of-its-kind study of a naturally occurring phenomenon in trees to spur the development of more efficient bioenergy crops.

Tension wood, which forms naturally in hardwood trees in response to

bending stress, is known to possess unique features that render it desirable as a bioenergy [feedstock](#). Although individual elements of tension wood have been studied previously, the BESC team is the first to use a comprehensive suite of techniques to systematically characterize tension wood and link the wood's properties to sugar release. Plant sugars, known as [cellulose](#), are fermented into alcohol for use as biofuel.

"There has been no integrated study of tension [stress response](#) that relates the molecular and biochemical properties of the wood to the amount of sugar that is released," said Oak Ridge National Laboratory's Udaya Kalluri, a co-author on the study.

The work, published in *Energy & Environmental Science*, describes tension wood properties including an increased number of woody cells, thicker cell walls, more crystalline forms of cellulose and lower lignin levels, all of which are desired in a biofuel crop.

"Tension wood in poplar trees has a special type of cell wall that is of interest because it is composed of more than 90 percent cellulose, whereas wood is normally composed of 40 to 55 percent cellulose," Kalluri said. "If you increase the cellulose in your feedstock material, then you can potentially extract more sugars as the quality of the wood has changed. Our study confirms this phenomenon."

The study's cohesive approach also provides a new perspective on the natural plant barriers that prevent the release of sugars necessary for [biofuel](#) production, a trait scientists term as recalcitrance.

"Recalcitrance of plants is ultimately a reflection of a series of integrated plant cell walls, components, structures and how they are put together," said co-author Arthur Ragauskas of Georgia Institute of Technology. "This paper illustrates that you need to use a holistic, integrated approach to study the totality of recalcitrance."

Using the current study as a model, the researchers are extending their investigation of tension wood down to the molecular level and hope to eventually unearth the genetic basis behind its desirable physical features. Although tension wood itself is not considered to be a viable feedstock option, insight gleaned from studying its unique physical and molecular characteristics could be used to design and select more suitably tailored bioenergy [crops](#).

"This study exemplifies how the integrated model of BESC can bring together such unique research expertise," said BESC director Paul Gilna. "The experimental design in itself is reflective of the multidisciplinary nature of a DOE [Bioenergy](#) Research Center."

The research team also includes Georgia Institute of Technology's Marcus Foston, Chris Hubbell, Reichel Sameul, Seokwon Jung and Hu Fan; National Renewable Energy Laboratory's Robert Sykes, Shi-You Ding, Yining Zeng, Erica Gjersing and Mark Davis, and ORNL's Sara Jawdy and Gerald Tuskan.

Provided by Oak Ridge National Laboratory

Citation: First-of-a-kind tension wood study broadens biofuels research (2011, October 25) retrieved 18 April 2024 from

<https://phys.org/news/2011-10-first-of-a-kind-tension-wood-broadens-biofuels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.