

NOAA unveils improved way to estimate saltwater recreational fishing

26 January 2012

NOAA today announced it has begun to use an improved method to estimate the amount of fish caught by saltwater anglers, which will allow rules that fishermen follow to be based on more accurate information.

The [method](#) is part of an overall effort to improve the accuracy of recreational catch data collected by the Marine Recreational Information Program, and was developed by a team of NOAA scientists and outside experts.

"The new estimation method is a fundamental change that better reflects what is happening on the water and within the recreational fishing community," said Eric Schwaab, NOAA's acting assistant secretary of commerce for conservation and management. "Better, more accurate [estimates](#) can only be a plus for the saltwater recreational fishing industry, which provides jobs for many Americans and contributes to the economic vitality of our coastal communities."

The agency today released recalculated estimates going back to 2004 using the new method. There were no overall trends in terms of size or direction of the new estimates; catch estimates for some species go up, some go down, and some remain about the same. To view comparisons of recreational catch estimates using the previous method and the revised method, go to: www.CountMyFish.noaa.gov .



"The [recreational fishing](#) community has a shared interest in scientifically sound, accurate data and a shared responsibility in making it available," said

Bruce Freeman, a New Jersey recreational fisherman, scientist and member of the Jersey Coast Anglers Association. "With this new estimation method, NOAA is taking an important first step toward the high-quality catch data that many of us have been calling for."

Using these new estimates, NOAA will now work with the regional [fishery management](#) councils, the states, and other stakeholders to integrate these results into fisheries science and management.

Beginning this year, NOAA will use the new method to calculate estimates for the Atlantic coast and Gulf of Mexico for use in fishery management and stock assessment by NOAA, regional fishery management councils and states. Other areas of the country, such as the West Coast, Hawaii, and Alaska, use different survey and estimation methods for saltwater recreational catch. NOAA is working with these regional partners to conduct similar evaluations and, as necessary, implement improvements to their estimation methods.

Another important part of the Marine Recreational Information Program is the National Saltwater Angler Registry, which will help NOAA improve the accuracy of fishing effort estimates by increasing the proportion of fishing households that are surveyed. Additional improvements that will increase the accuracy of the estimates are being developed, including revised dockside survey methods, testing of approaches to improving data timeliness, and use of electronic logbooks in the for-hire vessel sector. To learn more about MRIP, go to: www.CountMyFish.noaa.gov .

Provided by NOAA

APA citation: NOAA unveils improved way to estimate saltwater recreational fishing (2012, January 26) retrieved 2 December 2021 from <https://phys.org/news/2012-01-noaa-unveils-saltwater-recreational-fishing.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.