

Harnessing plasmonics, engineers weld nanowires with light

6 February 2012



This titled, cross-sectional scanning electron microscope image shows nanowires of silver that have been welded together by in a new technique developed at Stanford. Credit: Mark Brongersma, Stanford University

At the nano level, researchers at Stanford have discovered a new way to weld together meshes of tiny wires. Their work could lead to exciting new electronics and solar applications. To succeed, they called upon plasmonics.

One area of intensive research at the nanoscale is the creation of electrically conductive meshes made of metal nanowires. Promising exceptional electrical throughput, low cost and easy processing, engineers foresee a day when such meshes are common in new generations of touch-screens, [video displays](#), light-emitting diodes and [thin-film solar cells](#).

Standing in the way, however, is a major engineering hurdle: In processing, these delicate meshes must be heated or pressed to unite the crisscross pattern of nanowires that form the mesh, damaging them in the process.

In a paper just published in the journal [Nature Materials](#), a team of engineers at Stanford has demonstrated a promising new nanowire welding technique that harnesses plasmonics to fuse the wires with a simple blast of light.

Self-limiting

At the heart of the technique is the physics of

plasmonics, the interaction of light and metal in which the light flows across the surface of the metal in waves, like water on the beach.

"When two nanowires lay crisscrossed, we know that light will generate plasmon waves at the place where the two nanowires meet, creating a hot spot. The beauty is that the hot spots exist only when the nanowires touch, not after they have fused. The welding stops itself. It's self-limiting," explained Mark Brongersma, an associate professor of [materials science](#) engineering at Stanford and an expert in plasmonics. Brongersma is one of the study's senior authors.

"The rest of the wires and, just as importantly, the underlying material are unaffected," noted Michael McGehee, a materials engineer and senior author of the paper. "This ability to heat with precision greatly increases the control, speed and [energy efficiency](#) of [nanoscale](#) welding."

In before-and-after electron-microscope images, individual nanowires are visually distinct prior to illumination. They lay atop one another, like two fallen trees in the forest. When illuminated, the top nanowire acts like an antenna of sorts, directing the plasmon waves of light into the bottom wire and creating heat that welds the wires together. Post-illumination images show X-like nanowires lying flat against the substrate with fused joints.

Transparency

In addition to making it easier to produce stronger and better performing nanowire meshes, the researchers say that the new technique could open the possibility of mesh electrodes bound to flexible or transparent plastics and polymers.

To demonstrate the possibilities, they applied their mesh on Saran wrap. They sprayed a solution containing silver nanowires in suspension on the plastic and dried it. After illumination, what was left

was an ultrathin layer of welded [nanowires](#).

"Then we balled it up like a piece of paper. When we unfurled the wrap, it maintained its electrical properties," said co-author Yi Cui, an associate professor materials science and engineering. "And when you hold it up, it's virtually transparent."

This could lead to inexpensive window coatings that generate solar power while reducing glare for those inside, the researchers said.

"In previous welding techniques that used a hotplate, this would never have been possible," said lead author, Erik C. Garnett, PhD, a post-doctoral scholar in materials science who works with Brongersma, McGehee and Cui. "The Saran wrap would have melted far sooner than the silver, destroying the device instantly."

"There are many possible applications that would not even be possible in older annealing techniques," said Brongersma. "This opens some interesting, simple and large-area processing schemes for electronic devices - solar, LEDs and touch-screen displays, especially."

Provided by Stanford School of Engineering

APA citation: Harnessing plasmonics, engineers weld nanowires with light (2012, February 6) retrieved 4 December 2021 from <https://phys.org/news/2012-02-harnessing-plasmonics-weld-nanowires.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.