

Ocean microbe communities changing, but long-term environmental impact is unclear

February 9 2012



As oceans warm due to climate change, water layers will mix less and affect the microbes and plankton that pump carbon out of the atmosphere – but researchers say it's still unclear whether these processes will further increase global warming or decrease it.

The forces at work are enormous and the stakes huge, said Oregon State University scientists in an article to be published Friday in the journal *Science*.

But inadequate ocean monitoring and lack of agreement on how to assess [microbial diversity](#) has made it difficult to reach a consensus on what the future may hold, they said.

"We're just beginning to understand microbial diversity in the oceans and what that may mean to the environment," said Stephen Giovannoni, an OSU professor of microbiology. "However, a large portion of the [carbon](#) emitted from human activities ends up in the oceans, which with both their mass of water and biological processes act as a huge buffer against [climate change](#). These are extremely important issues."

The interest is growing, scientists say, because nearly half of the world's photosynthesis is contributed by microbial [plankton](#), and the process of marine carbon production and consumption is much faster than on land. A turnover of terrestrial plant biomass takes 15 years, they say, while marine turnover takes just six days.

As the ocean surface warms, evidence shows that it will become more "stratified," or confined to layers that mix less than they did in the past. This should reduce overall ocean productivity, Giovannoni said, but so little is known about the effect on ocean microbes that the implication for carbon sequestration and [global warming](#) is less clear.

Some OSU research on routine seasonal changes of microbes in the Sargasso Sea of the Atlantic Ocean suggests that different and specialized microbial communities can become more dominant when water warms.

As warmer oceans become a more long-term and global phenomenon, researchers need to know more about these microbes, and whether their behavior will amplify or reduce atmospheric carbon and the greenhouse effect.

It could be either, Giovannoni said.

"Some warming of surface waters may reduce carbon sequestration, which could cause a feedback loop to increase global warming,"

Giovannoni said.

"Other forces, what we call the microbial carbon pump, could cause carbon to sink into the deep ocean and be segregated from the [atmosphere](#) for thousands of years," he said. "We know both of these processes exist, but which one will become dominant is unpredictable, because we know so little about ocean [microbes](#)."

It was only two decades ago that OSU scientists discovered SAR11, an ocean microbe and the smallest free-living cell known, but one that's now understood to dominate life in the oceans, thrives where most other cells would die and plays a huge role in carbon cycling on Earth.

Microbial action also surprised scientists just recently, Giovannoni noted, when specific microbe populations surged following the Gulf Coast oil spill and cleaned up much of the oil faster than many thought possible. And some plans to "fertilize" the ocean and sequester atmospheric carbon through marine phytoplankton growth have been put on hold, he said, because it just isn't certain what would happen.

To reduce that uncertainty, Giovannoni advocates more aggressive development and implementation of marine microbial monitoring technology around the world, to add to what scientists can already learn from study of satellite images. And the field is so new, he said, that many researchers are not even comparing the same types of data or standardizing the tools they use to assess microbial diversity – a problem that needs to be addressed.

Dramatic advances in DNA sequencing in recent years, Giovannoni said, should also help researchers unravel the [ocean](#) microbe mystery.

Provided by Oregon State University

Citation: Ocean microbe communities changing, but long-term environmental impact is unclear (2012, February 9) retrieved 20 September 2024 from <https://phys.org/news/2012-02-ocean-microbe-long-term-environmental-impact.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.