


NASA maps how soil nutrients affect plant productivity

November 2 2012, by Alan Buis




Global map depicting the percentage that vegetation growth is limited by available soil nutrients, with 0 representing no nutrient limitation, and 100 being completely nutrient limited. Credit: NASA JPL/Caltech

(Phys.org)—A new analysis led by NASA's Jet Propulsion Laboratory, Pasadena, Calif., has estimated how much the growth of plants worldwide is limited by the amount of nutrients available in their soil. The maps produced from the research will be particularly useful in evaluating how much carbon dioxide Earth's ecosystems may be able to soak up as greenhouse gas levels increase.

A research team led by JPL research scientist Josh Fisher used 19 years

of data from NASA, [National Oceanic and Atmospheric Administration](#) and international satellites to assess the maximum possible growth of vegetation all over the world based upon available water and light conditions. The scientists then cross-compared that potential maximum with observed vegetation productivity as measured by satellites. This is the first time such an analysis has been conducted.

The map, published recently in the journal *Global Biogeochemical Cycles*, shows the places where vegetation productivity was less than the potential maximum, and then infers that the vegetation in those places was limited by the amount of available [soil nutrients](#) there. Results of the study were evaluated using measurements of nutrients and vegetation productivity taken at ground validation sites in Hawaii.



NASA has determined the limits to the growth of vegetation around the world based upon the availability of nutrients in vegetation soils. The nutrient limitation maps significantly advance global carbon cycle and climate models.

"There are many regions on Earth where vegetation struggles to reach optimum productivity because of sparse nutrients, such as nitrogen or phosphorus," said Fisher. "This reduces global vegetation productivity by nearly a quarter compared to vegetation in a completely fertile Earth."

Fisher said the research is valuable for studying the [global carbon cycle](#). "Current [global carbon](#) cycle models do not, for the most part, account for the cycling of nutrients, so the terrestrial biosphere (forests and other ecosystems) is expected to absorb an increasing amount of [atmospheric carbon dioxide](#)," he said. "Our approach provides a way to assess the performance of global carbon models that incorporate the cycling of nutrients to ensure that they accurately reflect the impacts that sparse nutrients have on plant growth."

The team found that tropical forests were more nutrient-limited than boreal forests, though the range in the amount of nutrients was much larger for boreal forests than tropical forests. North American forests were more nutrient-limited than Eurasian forests. Savannas, grasslands and shrublands had the fewest [nutrients](#), and croplands had the most.

"We were able to detect known regional gradients in nutrient levels—an East-West gradient across Amazonia, fertilization differences between 'developed' and 'developing' countries, and the migration of trees in boreal North America, for example," said co-author Grayson Badgley of Stanford University, Palo Alto, Calif.

"It is interesting that we can glean insight on global nutrient cycles from satellite observations of global water and carbon cycles," said co-author Eleanor Blyth of the UK Centre for Ecology and Hydrology, Wallingford.

NASA satellite data used in the study included data from the Moderate Resolution Imaging Spectroradiometer instrument on NASA's Terra

spacecraft; NASA's Total Ozone Mapping Spectrometer; and the Advanced Microwave Sounding Unit, Advanced Microwave Scanning Radiometer for Earth Observing System, and Atmospheric Infrared Sounder instruments on NASA's Aqua spacecraft.

Provided by NASA

Citation: NASA maps how soil nutrients affect plant productivity (2012, November 2) retrieved 26 April 2024 from <https://phys.org/news/2012-11-nasa-soil-nutrients-affect-productivity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.