

# New information on binding gold particles over metal oxide surfaces

22 January 2013

Figure: Visualisation of an atomic structure of the studied system where a negatively charged (charge -1) gold adatom is adsorbed on molybdenum-doped calcium oxide. The molybdenum dopant has an oxidation state of +3. The adsorption energy consists of ionocovalent, redox and Coulombic contributions. Yellow: gold; green: molybdenum; blue: calcium; red: oxygen.




Figure Atomic structure.

The strong binding of gold on electronically modified calcium oxide can now be understood in detail. In a computational study, researchers at the University of Jyväskylä Nanoscience Center have shown how redox chemistry entirely determines the adsorption strength of gold on the modified oxide where one metal atom is replaced with molybdenum.

The research team applied the so-called Born-Haber cycle to analyse how different terms contribute to adsorption energy. The calculations were done at the supercomputers of the CSC – IT Center of Science by employing quantum mechanical simulation methods.

In the oxide lattice, the molybdenum atom donates

two electrons into the oxide. When a gold atom adsorbs on the oxide surface, a redox reaction takes place. In this process, a third electron transferred by the dopant is gained by gold, and energy is released. By varying the dopant among several [transition metal](#) atoms, the researchers found that the amount of energy released linearly correlates with the ability of the dopant to give an electron. The trend can be used to estimate how much a guest atom stabilises gold adsorption without calculating the adsorption energy.

The research results are important for understanding catalyst-support interaction. The results fully support the [experimental observation](#) where [gold nanoparticles](#) have been seen to form flat structures over modified [calcium oxide](#) surfaces. A similar Born-Haber cycle, as applied in this study, can also be employed to analyse oxide-catalysed chemical reactions that follow the redox mechanism.

Catalysts are commonly used by industry, for instance, in the production of fuels, plastics, fertilisers and other similar products. Metal oxide surfaces are widely used as support materials for [metal catalysts](#) particles. The binding properties and shape of metal nanoparticles sensitively depend on the interaction between the support and the catalyst. By tuning this interaction, it is possible to affect the number and properties of catalytically active sites, or even create new sites. One way to modify the interaction is to dope the oxide with guest [metal atoms](#) that can donate extra electrons into a material.

**More information:** Andersin, J. et al. The Redox Chemistry of Gold with High-Valence Doped Calcium Oxide, *Angewandte Chemie International Edition*, Article first published online: 12 DEC 2012, DOI: [10.1002/anie.201208443](https://doi.org/10.1002/anie.201208443) . <http://onlinelibrary.wiley.com/doi/10.1002/anie.201208443/abstract>

Provided by Academy of Finland

APA citation: New information on binding gold particles over metal oxide surfaces (2013, January 22)  
retrieved 22 May 2019 from <https://phys.org/news/2013-01-gold-particles-metal-oxide-surfaces.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*