

# Can simple measures of labile soil organic matter predict corn performance?

February 11 2013

---

Organic matter is important for soil health and crop productivity. While an indicator of soil quality, a lot of organic matter is in extremely stable forms, and the nutrients in such forms are difficult for plants to use. The active, labile fraction, however, is a modest but important part of the organic matter.

"The labile fraction is small – usually less than 20 or even 10 percent, depending on how you define it," explains Steve Culman, lead author of a study published online Feb. 8 in [Agronomy Journal](#). "But it is where a lot of the action happens. It's where [soil nutrients](#) are rapidly cycled and are interacting with microbial communities."

The size of the labile pool, then, can be an important predictor of corn agronomic performance. But the tests used up to this point to measure those pools, such as [microbial biomass](#) and particulate organic matter, were labor intensive and expensive. Culman, in Sieg Snapp's lab at the W.K. Kellogg Biological Station, decided to use other measurements of the labile fractions – including nitrogen mineralization and carbon mineralization – to see what information these inexpensive tests might give them. Their results suggest that simple measures of labile organic matter can reflect long-term management and short-term seasonal changes as well as predict corn performance.

To better understand labile soil organic measurements and what they could tell farmers, the researchers measured soils managed in a variety of conditions. Fields were maintained with three different management

practices (conventional, integrated, and compost) and two different [crop rotations](#) ([continuous corn](#) with no [cover crops](#) and corn-soybean-wheat with cover crops). After collecting soil from the different fields, the scientists then measured carbon and nitrogen mineralization.

"What's nice about carbon and nitrogen mineralization is they're based on actual biological activity," says Culman. "You take into account the [soil microbes](#) and environment for these tests."

A long-term cropping system trial provided the perfect opportunity to test the extent to which carbon and nitrogen mineralization measurements were affected by both management practice and crop rotation. These tests, then, could be used to identify the best practices, such as fertilizer application, for a given field. This would be especially useful for nitrogen – a nutrient that is incredibly important for crop growth but is rarely measured by farmers.

"Most farmers don't test their soils for nitrogen," explains Culman. "They just basically apply a rate based on their yield goals, and excess nitrogen may be applied. The long-term goal would be to offer these as predictive tests for farmers so they can say, 'Given my soil type, management, and these measures, I should apply this amount of nitrogen.' That's the ultimate goal."

The predictive power of such tests for best management practices goes hand-in-hand with crop performance. The researchers also found that carbon mineralization was a better predictor of corn agronomic performance than other measures that are currently used (pre-sidress nitrate test and leaf chlorophyll). With these tests, Culman and his coauthors hope to provide farmers with better tools to manage their fields and increase crop yields.

Says Culman, "This could have tremendous impacts, locally, regionally,

and nationally, in terms of having tools that better predict our cropping system performance based on soil properties."

**More information:** [dl.sciencesocieties.org/public ... /0/0/agronj2012.0382](https://dl.sciencesocieties.org/public/0/0/agronj2012.0382)

Provided by American Society of Agronomy

Citation: Can simple measures of labile soil organic matter predict corn performance? (2013, February 11) retrieved 22 September 2024 from <https://phys.org/news/2013-02-simple-labile-soil-corn.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.