


Einstein's gravity theory passes toughest test yet: Bizarre binary star system pushes study of relativity to new limits

April 25 2013, by Dave Finley



This artist's impression shows the exotic double object that consists of a tiny, but very heavy neutron star that spins 25 times each second, orbited every two and a half hours by a white dwarf star. The neutron star is a pulsar named PSR J0348+0432 that is giving off radio waves that can be picked up on Earth by radio telescopes. Although this unusual pair is very interesting in its own right, it is also a unique laboratory for testing the limits of physical theories. Credit: ESO

(Phys.org) —A strange stellar pair nearly 7,000 light-years from Earth

has provided physicists with a unique cosmic laboratory for studying the nature of gravity. The extremely strong gravity of a massive neutron star in orbit with a companion white dwarf star puts competing theories of gravity to a test more stringent than any available before.

Once again, Albert Einstein's [General Theory of Relativity](#), published in 1915, comes out on top.

At some point, however, scientists expect Einstein's model to be invalid under extreme conditions. General Relativity, for example, is incompatible with [quantum theory](#). Physicists hope to find an alternate description of gravity that would eliminate that incompatibility.


A newly-discovered pulsar—a spinning neutron star with twice the mass of the Sun—and its white-[dwarf companion](#), orbiting each other once every two and a half hours, has put gravitational theories to the most extreme test yet. Observations of the system, dubbed PSR J0348+0432, produced results consistent with the predictions of General Relativity.

The tightly-orbiting pair was discovered with the National Science Foundation's Green Bank Telescope (GBT), and subsequently studied in visible light with the Apache Point telescope in New Mexico, the Very Large Telescope in Chile, and the William Herschel Telescope in the Canary Islands. Extensive radio observations with the Arecibo telescope in Puerto Rico and the Effelsberg telescope in Germany yielded vital data on subtle changes in the pair's orbit.

In such a system, the orbits decay and [gravitational waves](#) are emitted, carrying energy from the system. By very precisely measuring the time of arrival of the pulsar's radio pulses over a long period of time, astronomers can determine the rate of decay and the amount of [gravitational radiation](#) emitted. The large mass of the neutron star in PSR J0348+0432, the closeness of its orbit with its companion, and the fact

that the companion white dwarf is compact but not another neutron star, all make the system an unprecedented opportunity for testing alternative theories of gravity.

Under the extreme conditions of this system, some scientists thought that the equations of General Relativity might not accurately predict the amount of gravitational radiation emitted, and thus change the rate of orbital decay. Competing gravitational theories, they thought, might prove more accurate in this system.



Superdense neutron star, emitting beams of radio waves as a pulsar, center, is closely paired with a compact white-dwarf star. Together, the two provide physicists with an unprecedented natural, cosmic "laboratory" for studying the nature of gravity. The grid background illustrates the distortions of spacetime

caused by the gravitational effect of the two objects. Credit: Antoniadis, et al.

"We thought this system might be extreme enough to show a breakdown in [General Relativity](#), but instead, Einstein's predictions held up quite well," said Paulo Freire, of the Max Planck Institute for Radioastronomy in Germany.

That's good news, the scientists say, for researchers hoping to make the first direct detection of gravitational waves with advanced instruments. Researchers using such instruments hope to detect the gravitational waves emitted as such dense pairs as [neutron stars](#) and black holes spiral inward toward violent collisions.

Gravitational waves are extremely difficult to detect and even with the best instruments, physicists expect they will need to know the characteristics of the waves they seek, which will be buried in "noise" from their detectors. Knowing the characteristics of the waves they seek will allow them to extract the signal they seek from that noise.

"Our results indicate that the filtering techniques planned for these advanced instruments remain valid," said Ryan Lynch, of McGill University.

Freire and Lynch worked with a large international team of researchers. They reported their results in the journal *Science*.

More information: "A Massive Pulsar in a Compact Relativistic Binary," by J. Antoniadis et al. *Science*, 2013

Provided by National Radio Astronomy Observatory

Citation: Einstein's gravity theory passes toughest test yet: Bizarre binary star system pushes study of relativity to new limits (2013, April 25) retrieved 20 September 2024 from <https://phys.org/news/2013-04-einstein-gravity-theory-toughest-bizarre.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.