


# Bioengineers find method to strongly adhere hydrogels to hydrophobic silicone substrates

July 9 2013



Fibroblasts cultured on RGD-alginate hydrogel became aligned perpendicular to the direction of cyclic stretching (arrow). University of Illinois bioengineers have found a way to strongly adhere hydrogels to hydrophobic silicone substrates, an innovation that provides a valuable new tool for microscale biotechnology.

Credit: Cha, C., Antoniadou, E., Lee, M., Jeong, J. H., Ahmed, W. W., Saif, T. A., Boppart, S. A. and Kong, H. (2013), Tailoring Hydrogel Adhesion to Polydimethylsiloxane Substrates Using Polysaccharide Glue . *Angew. Chem. Int. Ed.*, doi: 10.1002/anie.201302925

Introductory chemistry students learn that oil and water repel each other. So do other hydrophobic substances, which carry no electric charge, and hydrophilic substances, which carry an electric charge that allows them to mix with water.

In a study reported in the July 1, 2013 *Angewandte Chemie*, a group of University of Illinois bioengineers have found a way to strongly adhere hydrogels to hydrophobic silicone substrates, an innovation that provides a valuable new tool for microscale biotechnology. The article reporting the work was highlighted by the editors as a "Hot Paper" in *Soft Material Chemistry*.

Microscale biotechnologies, including cell culture platforms and [biochips](#), have important applications in genomics, tissue engineering, and many other areas of biology. Silicone polymers are often used as a component material in these technologies because of their advantageous properties: silicones are inert, elastic, biocompatible, and easy to work with.

One major drawback of this type of material in biological applications is that surfaces formed by silicones are extremely hydrophobic. These surfaces therefore prohibit easy flow of aqueous solutions and prevent the binding of some [biomolecules](#), while promoting undesired binding of others. Chemical modifications or coatings can be used to make the surfaces hydrophilic, but the results produced by these treatments are temporary.

The Illinois study, led by Hyunjoon Kong, Assistant Professor of Chemical and Biomolecular Engineering and member of the Regenerative Biology and Tissue Engineering research theme at the Institute for Genomic Biology, addressed this problem. The group worked to develop a method to permanently modify a [silicone polymer](#) surface. Kong's group sought a way to "glue" an alginate hydrogel, a water-absorbing substance also used in food and medical industries, to a surface formed by [polydimethylsiloxane](#) (PDMS), a silicone polymer that is a common material in microscale biotechnologies.

"It has been often suggested that integration of the silicone-based

materials with organic, tissue-like hydrogel materials should enhance functionality," says Kong. "However, it was a grand challenge to attain and sustain adhesion between two disparate materials."

The solution, developed by first author Chaenyung Cha, Kong, and others, was to develop a multi-step protocol to covalently link alginate, the polysaccharide that is also a component of the hydrogel, to a PDMS surface. The resulting alginate-PDMS can then participate in a cross-linking reaction that forms an alginate hydrogel. Tests performed as part of the study showed that the attachment of hydrogel to PDMS formed by this process is stable for several months, can tolerate bending and repeated stretching, and is not degraded by aqueous solutions. The hydrogel is more hydrophilic than the surfaces produced by previously developed treatments, and its physical properties can be easily controlled by modifying the crosslinking reaction used in its formation.

The study also explored several practical applications of the hydrogel-PDMS surface. Fibroblasts, a type of cells found in connective tissue, were first cultured on a hydrogel-PDMS surface, and then chronically exposed to repeated stretching. This type of manipulation would not be possible with less elastic cell culture substrates, and has value for researchers studying the effects of mechanical stress on living cells inside the body.

Another experiment showed that the hydrogel could be successfully and stably synthesized within the channels of a microfluidic device. "This method will greatly advance quality of cell culture platforms and microfluidic devices. It will further benefit design of novel drug delivery systems and cell transplantation devices," Kong said.

**More information:**

[onlinelibrary.wiley.com/doi/10.1002/anie.201302925](https://onlinelibrary.wiley.com/doi/10.1002/anie.201302925)

Provided by University of Illinois at Urbana-Champaign

Citation: Bioengineers find method to strongly adhere hydrogels to hydrophobic silicone substrates (2013, July 9) retrieved 22 September 2024 from <https://phys.org/news/2013-07-bioengineers-method-strongly-adhere-hydrogels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.