


Playing with glass safely—and making it stronger

18 July 2013, by Bill Hathaway



(Phys.org) —Researchers at Yale have developed a way to alter the microanatomy of glass and measure how the changes affect the material's overall character—offering new possibilities for tailoring glass with unusual strength and flexibility.

The method also applies to a wide variety of materials other than glass, including [conventional metals](#) like steels, [porous materials](#), natural materials, and composites.

"Correlating structure with property is the holy grail of materials science, and has been very difficult to study, particularly for technologically interesting materials," said Jan Schroers, professor of mechanical engineering and materials science at Yale. "We can now develop [metallic glass](#) composites that are optimized for tensile ductility, perhaps the most important material property for structural applications."

Ductility refers to a material's plasticity, or its ability to change shape without breaking. Metallic glasses are [metal alloys](#), or blends, that can be extremely strong. A challenge for [materials scientists](#) has been finding a way to design metallic glasses with

greater ability to withstand immediate fracture upon deformation.

Schroers is the principal investigator of the research, which was published July 17 in the journal *Nature Communications*.

The new method, which the researchers call "artificial microstructures," allows them to vary one aspect of a material's microstructure—spacing, volume fraction, or shape, for example—while holding all other features constant. The method also allows them to measure the changes' effects on the material's general properties, such as strength and flexibility.

"Our method allows us to 'decode' microstructures and establish [microstructure](#)-property relationships," Schroers said. "In the past this could only be done, with some exceptions, through computer modeling." But computer modeling has rarely been able to predict the properties accurately.

Now researchers can design actual new microstructures and make scores of them in a matter of weeks.

Schroers, an expert in metallic glasses, is already using the new method to examine flaw tolerance and to understand nature's own design optimization processes.

"We can readily and highly quantitatively do this now," he said.

The paper is titled "Designing tensile ductility in metallic glasses."

Provided by Yale University

APA citation: Playing with glass safely—and making it stronger (2013, July 18) retrieved 14 October 2019 from <https://phys.org/news/2013-07-glass-safelyand-stronger.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.