


Graphene nanoscrolls are formed by decoration of magnetic nanoparticles

August 15 2013



After decoration with maghemite nanoparticles the graphene spontaneously form nanoscrolls. The dark cylinders in the upper part of the image shows graphene nanoscrolls that are covered with a smooth layer of small particles. The nanoscrolls form “bundles” with 5-10 cylinders due to the interaction between the nanoscrolls. The lower part of the image show a simulated image of a graphene sheet in the scrolling process. The region zoomed show a maghemite nanoparticle attached to the graphene sheet.

Researchers at Umea University, together with researchers at Uppsala University and Stockholm University, show in a new study how nitrogen doped graphene can be rolled into perfect Archimedean nano scrolls by adhering magnetic iron oxide nanoparticles on the surface of the graphene sheets. The new material may have very good properties for application as electrodes in for example Li-ion batteries.

Graphene is one of the most interesting materials for future applications in everything from high performance electronics, [optical components](#) to flexible and strong materials. Ordinary graphene consists of carbon sheets that are single or few [atomic layers](#) thick.

In the study the researchers have modified the graphene by replacing some of the [carbon atoms](#) by [nitrogen atoms](#). By this method they obtain anchoring sites for the iron oxide nanoparticles that are decorated onto the graphene sheets in a solution process. In the decoration process one can control the type of iron oxide nanoparticles that are formed on the graphene surface, so that they either form so called hematite (the reddish form of iron oxide that often is found in nature) or maghemite, a less stable and more magnetic form of iron oxide.

"Interestingly we observed that when the graphene is decorated by maghemite, the graphene sheets spontaneously start to roll into perfect Archimedean nano scrolls, while when decorated by the less magnetic hematite nanoparticles the graphene remain as open sheets, says Thomas Wågberg, Senior lecturer at the Department of Physics at Umeå University.



Snapshot of a partially re-opened nanoscroll. The atomic layer thick graphene resembles a thin foil with some few wrinkles.

The nanoscrolls can be visualized as traditional "Swiss rolls" where the sponge-cake represents the graphene, and the creamy filling is the iron oxide nanoparticles. The graphene nanoscrolls are however around one million times thinner.

The results that now have been published in *Nature Communications* are conceptually interesting for several reasons. It shows that the magnetic interaction between the iron oxide nanoparticles is one of the main effects behind the scroll formation. It also shows that the nitrogen defects in the graphene lattice are necessary for both stabilizing a sufficiently high number of maghemite nanoparticles, and also responsible for "buckling" the graphene sheets and thereby lowering the formation energy of the nanoscrolls.

The process is extraordinary efficient. Almost 100 percent of the graphene sheets are scrolled. After the decoration with maghemite particles the research team could not find any open graphene sheets.

Moreover, they showed that by removing the iron oxide nanoparticles by acid treatment the nanoscrolls again open up and go back to single graphene sheets.

"Besides adding valuable fundamental understanding in the physics and chemistry of graphene, nitrogen-doping and [nanoparticles](#) we have reasons to believe that the [iron oxide](#) decorated nitrogen doped [graphene](#) nanoscrolls have very good properties for application as [electrodes](#) in for example Li-ion batteries, one of the most important batteries in daily life electronics, " says Thomas Wågberg.

The study has been conducted within the "The artificial leaf" project which is funded by Knut and Alice Wallenberg foundation to physicist,

chemists, and plant science researchers at Umeå University.

More information: Sharifi, T. et al. Formation of nitrogen-doped graphene nanoscrolls by adsorption of magnetic γ -Fe₂O₃ nanoparticles, *Nature Communications* (2013), [DOI: 10.1038/ncomms3319](https://doi.org/10.1038/ncomms3319)

Provided by Umea University

Citation: Graphene nanoscrolls are formed by decoration of magnetic nanoparticles (2013, August 15) retrieved 22 September 2024 from <https://phys.org/news/2013-08-graphene-nanoscrolls-magnetic-nanoparticles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.