

Researchers get first look at diverse life below rare tallgrass prairies

October 31 2013



The Konza Priarie in Kansas is where native tallgrass prairie has been preserved.
Credit: Suzanne Prober.

America's once-abundant tallgrass prairies—which have all but disappeared—were home to dozens of species of grasses that could grow to the height of a man, hundreds of species of flowers, and herds of roaming bison.

For the first time, a research team led by the University of Colorado Boulder has gotten a peek at another vitally important but rarely considered community that also once called the tallgrass prairie home: the diverse assortment of microbes that thrived in the dark, rich soils beneath the grass.

"These soils played a huge role in American history because they were so fertile and so incredibly productive," said Noah Fierer, a fellow at CU-Boulder's Cooperative Institute for Research in Environmental Sciences (CIRES) and lead author of the study published today in the journal *Science*. "They don't exist anymore except in really small parcels. This is our first glimpse into what might have existed across the whole range."

CIRES is a joint institute of CU-Boulder and the National Oceanic and Atmospheric Administration.

The remarkable fertility of soils beneath the tallgrass prairie—which once covered more than 150 million U.S. acres, from Minnesota south to Texas and from Illinois west to Nebraska—were also the prairie's undoing. Attracted by the richness of the dirt, settlers began to plow up the prairie more than a century and a half ago, replacing the native plants with corn, wheat, soybeans and other crops. Today, only remnants of the tallgrass prairie remain, covering just a few percent of the ecosystem's original range.

For the study, Fierer, an associate professor of [microbial ecology](#), and his colleagues used samples of [soil](#) collected from 31 different sites spread out across the prairie's historical range. The samples—which were collected by study co-author Rebecca McCulley, a grassland ecologist at the University of Kentucky—came largely from nature preserves and old cemeteries.



The Konza Prairie in Kansas is where native tallgrass prairie has been preserved.
Credit: Joseph Craine.

"It was very hard to find sites that we knew had never been tilled," Fierer said. "As soon as you till a soil, it's totally different. Most gardeners are familiar with that."

The researchers used DNA sequencing to characterize the microbial community living in each soil sample. The results showed that a poorly understood phylum of bacteria, Verrucomicrobia, dominated the microbial communities in the soil.

"We have these soils that are dominated by this one group that we really don't know anything about," Fierer said. "Why is it so abundant in these

soils? We don't know."

While Verrucomicrobia were dominant across the soil samples, the microbial makeup of each particular soil sample was unique. To get an idea of how soil microbial diversity might have varied across the tallgrass prairie when it was still an intact ecosystem, the researchers built a model based on climate information and the data from the samples.

"I am thrilled that we were able to accurately reconstruct the microbial component of prairie soils using statistical modeling and data from the few remaining snippets of this vanishing ecosystem," said Katherine Pollard, an investigator at the Gladstone Institutes in San Francisco and a co-author of the paper.

Fierer and his colleagues are already hard at work trying to grow Verrucomicrobia in the lab to better understand what it does and the conditions it favors. But even without a full understanding of the microbes, the research could bolster tallgrass prairie restoration efforts in the future.

"Here's a group that's really critical in the functioning of these soils. So if you're trying to have effective prairie restoration, it may be useful to try and restore the below-ground diversity as well," Fierer said.

More information: "Reconstructing the Microbial Diversity and Function of Pre-Agricultural Tallgrass Prairie Soils in the United States," by N. Fierer et al. *Science*, 2013.

Provided by University of Colorado at Boulder

Citation: Researchers get first look at diverse life below rare tallgrass prairies (2013, October 31)
retrieved 23 April 2024 from

<https://phys.org/news/2013-10-diverse-life-rare-tallgrass-prairies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.