


# The biggest mass extinction and Pangea integration

November 3 2013



Relationships between geosphere disturbances and mass extinction during the Late Permian and Early Triassic are shown. Credit: Science China Press

The mysterious relationship between Pangea integration and the biggest mass extinction happened 250 million years ago was tackled by Professor YIN Hongfu and Dr. SONG Haijun from State Key Laboratory of Geobiology and Environmental Geology, China University of Geosciences (Wuhan). Their study shows that Pangea integration resulted in environmental deterioration which further caused that extinction. Their work, entitled "Mass extinction and Pangea integration

during the Paleozoic-Mesozoic transition", was published in *Science China Earth Sciences*.2013, Vol 56(7).

The Pangea was integrated at about the beginning of Permian, and reached its acme during Late Permian to Early Triassic. Formation of the Pangea means that the scattered continents of the world gathered into one integrated continent with an area of nearly 200 million km<sup>2</sup>. Average thickness of such a giant continental lithosphere should be remarkably greater than that of each scattered continent. Equilibrium principle implies that the thicker the lithosphere, the higher its portion over the equilibrium level, hence the average altitude of the Pangea should be much higher than the separated modern continents. Correspondingly, all oceans gathered to form the Panthalassa, which should be much deeper than modern oceans. The acme of Pangea and Panthalassa was thus a period of high continent and deep ocean, which should inevitably induce great regression and influence the earth's surface system, especially climate.

The Tunguss Trap of Siberia, the Emeishan Basalt erupted during the Pangea integration. Such global-scale volcanism should be evoked by mantle plume and related with integration of the Pangea. Volcanic activities would result in a series of extinction effects, including emission of large volume of CO<sub>2</sub>, CH<sub>4</sub>, NO<sub>2</sub> and cyanides which would have caused green house effects, pollution by poisonous gases, damage of the ozone layer in the stratosphere, and enhancement the ultra-violet radiation.

Increase of CO<sub>2</sub> concentration and other green house gases would have led to global warming, oxygen depletion and carbon cycle anomaly; physical and chemical anomalies in ocean (acidification, euxinia, low sulfate concentration, isotopic anomaly of organic nitrogen) and great regression would have caused marine extinction due to unadaptable environments, selective death and hypercapnia; continental aridity,

disappearance of monsoon system and wild fire would have devastated the land vegetation, esp. the tropical rain forest.

The great global changes and [mass extinction](#) were the results of interaction among earth's spheres. Deteriorated relations among lithosphere, atmosphere, hydrosphere, and biosphere (including internal factors of organism evolution itself) accumulated until they exceeded the threshold, and exploded at the Permian-Triassic transition time.

Interaction among bio- and geospheres is an important theme. However, the processes from inner geospheres to earth's surface system and further to organism evolution necessitate retardation in time and yields many uncertainties in causation. Most of the processes are now at a hypothetical stage and need more scientific examinations.

**More information:** Yin H F, Song H J. Mass extinction and Pangea integration during the Paleozoic-Mesozoic transition. Science China: Earth Sciences, 2013, 56: 1791-1803. [earth.scichina.com:8080/sciDe/ .../07/s11430-013-4624-3](http://earth.scichina.com:8080/sciDe/.../07/s11430-013-4624-3)

Provided by Science China Press

Citation: The biggest mass extinction and Pangea integration (2013, November 3) retrieved 20 September 2024 from <https://phys.org/news/2013-11-biggest-mass-extinction-pangea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.