

# JPL to test new supersonic decelerator technology

December 18 2013

---



A 100-foot diameter packed-parachute, bridles and lines are readied into position for a Low Density Supersonic Decelerator (LDSD) test that occurred at the U.S. Naval Air Weapons Station at China Lake earlier this year. A similar packed parachute in both size and material will be used at the mesa test on Dec 18, 2013 at JPL. Credit: NASA/JPL-Caltech

(Phys.org) —A giant crane will tower above NASA's Jet Propulsion

Laboratory in Pasadena, Calif., shooting out of a hilly mesa like an oversized erector set, ready to help test components of NASA's Low Density Supersonic Decelerator (LDSD) project. The goal of the challenging technology, led by JPL, is to enable a future mission to Mars or other planetary bodies that uses heavier spacecraft and lands them at locations that were previously not achievable.

The crane-test is scheduled for tomorrow, Dec. 18, weather permitting. The test will simulate the acceleration of a large parachute being pulled away from a spacecraft. The purpose of the test is to show that all of the parachute lines and bridles come out in an organized manner and do not catch on other vehicle hardware as they are deployed.

Validation tests are crucial to working out the kinks before a system of this type is used for future space missions. During this test, the parachute, which has a diameter of roughly 100 feet (30.5 meters), will not open. Its size is a significant upgrade by comparison to parachutes that have come before it. For instance, last year's successful landing of NASA's Mars Curiosity Rover utilized a parachute that measured only 51 feet (15.5 meters) across, about half the size.

The heavier planetary landers of the future require much larger drag devices than any now in use to slow them down—and those next-generation drag devices will need to be deployed at higher supersonic speeds to safely land a vehicle, plus crew and cargo for potential human missions.

Current Mars landing techniques date back to NASA's Viking mission, which put two landers on Mars in 1976. That mission's basic [parachute](#) design has been in use ever since, with additional landing technologies, and was used again in 2012 to deliver the Curiosity rover to Mars. To conduct more massive exploration missions in the future, however, NASA must advance the technology to a new level of sophistication.

Testing for the LDSD project began in 2012 at the U.S. Navy's China Lake Naval Air Weapons Station in California and will be conducted through 2015.

In the next few years, the Low Density Supersonic Decelerator Technology Demonstration Mission will conduct full-scale, stratospheric tests of these breakthrough technologies high above Earth to prove their value for future space exploration missions.

Provided by NASA

Citation: JPL to test new supersonic decelerator technology (2013, December 18) retrieved 20 September 2024 from <https://phys.org/news/2013-12-jpl-supersonic-decelerator-technology.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.