

# How common is aggression in UK dogs?

January 7 2014

---

Aggressive dogs represent a serious risk to human health, tragically causing fatalities in rare cases. The development of aggression can also impact on a dog's welfare, because of a breakdown of the human-pet bond, euthanasia or relinquishment. New research has estimated the prevalence of human-directed aggression in different situations, and examined the potential risk factors for dogs showing aggression towards people.

The study, led by academics at the University of Bristol's School of Veterinary Sciences and published online in *Applied Animal Behaviour Science*, investigated the occurrence of dog [aggression](#) towards people with a survey of UK dog owners.

Around 15,000 questionnaires were distributed to dog owners of which 4,000 were returned and used in the analysis. The researchers found that aggression towards unfamiliar people was reported more commonly by owners than aggression to [family members](#).

Nearly seven percent of owners responded that their dog barked, lunged, growled or actually bit when people came to the house, and five percent reported these behaviours on meeting people when out on walks.

In contrast, about three percent of dogs were suggested by owners to show aggressive behaviour towards family members. The study highlighted that the majority of dogs showing aggression do so in just one of these situations. This indicates that the common tendency to categorise dogs as either generally 'safe' or 'vicious' is a misconception,

and that most dogs show aggression as a learnt response to particular situations.

Dr. Rachel Casey, Senior Lecturer in Companion Animal Behaviour and Welfare, said: "Dog owners and members of the public need to be aware that any dog could potentially show aggression if it is anxious or feels threatened, even when it has never done so before.

"On the other hand, dogs which have shown aggressive signs in one situation are not necessarily 'dangerous' when in other contexts – an important consideration in the assessment of animals, such as in rehoming centres."

The study also compared the characteristics of those dogs reported to show aggression with those which had never done so. It was revealed that factors such as training classes attended, type of training method used, the sex and neuter status of dogs, the age category of [owners](#), and the breed of dogs were all associated with the occurrence of aggression.

Interestingly, different [risk factors](#) were found to be significant in statistical models examining aggression to family members and unfamiliar people. This suggests that different factors are important in the development of aggressive signs depending on the situation.

The research also highlighted that although general characteristics, such as breed type, are significant risk factors across large populations they explain only a small amount of the overall difference between aggressive and non-aggressive [dogs](#). This suggests that it is not appropriate to evaluate the risk of [aggressive behaviour](#) in an individual dog using characteristics such as breed type.

**More information:** Human directed aggression in domestic dogs (Canis familiaris): occurrence in different contexts and risk factors,

Rachel A. Casey, Bethany Loftus, Christine Bolster, Gemma J. Richards, Emily J. Blackwell, *Applied Animal Behaviour Science*, published online 11 December 2013.

Provided by University of Bristol

Citation: How common is aggression in UK dogs? (2014, January 7) retrieved 20 September 2024 from <https://phys.org/news/2014-01-common-aggression-uk-dogs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.