


Improvement in polymers for aviation

25 February 2014



This is an electron transmission micrograph of the nanocomposite poly(ether imide)-poly(butylene terephthalate)/carbon nanotubes with 3 percent of nanotubes. Credit: UPV/EHU

We live surrounded by polymers and today, rather than come up with new polymers, there is a tendency to modify them in order to obtain new applications. Carbon nanotubes have excellent mechanical properties, are very tough, very rigid, and what is more, they conduct electricity. "The problem with them is that they get dispersed, in other words, it's very difficult to get them to blend with polymers," explained Iñaki Eguiazabal, a member of the Polymer Technology Group. That is why it is essential to come up with methods that will enable the carbon nanotubes to have a high degree of dispersion and stability within the polymer matrix. "In this research we have come up with the successful preparation of one of these materials," he added.

The research aimed to improve the mechanical

properties of poly(ether imide). Poly(ether imide) is a polymer that has very good mechanical and thermal properties and is used, among other things, to produce the internal parts of aircraft. However, like most polymers it is an insulating material from the electrical perspective. "By adding carbon nanotubes, we are not only able to improve the mechanical properties of the material even further, we can also turn it into a conductor of electricity," explained Iñaki Eguiazabal. This could enable them to be used in electrostatic painting applications, among other things.

Right from the start, the activity of the Polymer Technology Group, which is part of the UPV/EHU's Department of Polymer Science and Technology and the Institute for Polymer Materials, POLYMAT, has concentrated mainly on the study of [polymer blends](#) in order to obtain new materials with optimized features.

Right now, the Group's most recent line of work is focussing on the study of nanocomposite systems consisting of thermoplastic polymers and organically modified laminated clays or carbon nanotubes. New nano-reinforced materials based on technical polymers, and in the case of systems with carbon nanotubes, conductors of electricity, have been developed in this line. Ternary systems based on polymer blends to which nanoparticles have been added have enabled the advantages offered by the blend to be combined with those provided by nanocomposites; this includes the obtaining of super-tough materials with an optimized range of properties.

The paper entitled "Widely dispersed PEI-based nanocomposites with multi-wall carbon nanotubes by blending with a masterbatch" has been published recently in the specialised journal *Composites, Part A: Applied Science and Manufacturing*, one of the most important ones in its category. The authors are PhD-holders Imanol González and Iñaki Eguiazabal and their paper deals with an application of the above-mentioned synergy between polymer blends and

nanocomposites.

Better dispersion and increase in electrical conductivity

For the case of poly(ether imide), they resorted to incorporating a blend based on poly(butylene terephthalate) into the polymer with a high concentration of dispersed nanotubes. In actual fact, "poly(butylene terephthalate) does not have the splendid properties displayed by the [polymer](#) we are trying to improve, but both polymers blend very well and that way we can get the dispersion to extend right across the blend," Eguiazabal pointed out.

"Although thermal stability is reduced, [electrical conductivity](#) is obtained by adding 1% of [carbon nanotubes](#)," he added. On the other hand, "the [mechanical properties](#) of the poly(ether imide) improve it even more. "Finally, to all this is added the fact that the viscosity of the nanocomposites is seen to be significantly reduced thanks to the presence of the poly(butylene terephthalate), which constitutes a considerable improvement in the processability of the materials, despite the presence of the nanotubes that tend to increase viscosity. This reduction in viscosity makes it possible to obtain products with sections of very little thickness but with complex geometry.

More information: I. González, J.I. Eguiazabal. Widely dispersed PEI-based nanocomposites with multi-wall carbon nanotubes by blending with a masterbatch. *Composites Part A: Applied Science and Manufacturing*.
www.sciencedirect.com/science/.../S1359835X13001711

Provided by Elhuyar Fundazioa

APA citation: Improvement in polymers for aviation (2014, February 25) retrieved 21 January 2021 from <https://phys.org/news/2014-02-polymers-aviation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.