


Let's put a sailboat on Titan

April 16 2014, by Michael Habib



Images from the Cassini mission show river networks draining into lakes in Titan's north polar region. Credit: NASA/JPL/USGS.


The large moons orbiting the gas giants in our solar system have been getting increasing attention in recent years. Titan, Saturn's largest moon, is the only natural satellite known to house a thick atmosphere. Its surface, revealed in part by the Cassini probe, is sculpted by lakes and rivers. There is interest in exploring Titan further, but this is tricky from

orbit because seeing through the thick atmosphere is difficult. Flying on Titan has been discussed around the web (sometimes glibly), and this was even one of the subjects treated by the [immensely popular comic, XKCD](#).

However, there remains the problem of powering propulsion. The [power requirements](#) for flight are quite minimal on Titan, so [solar wings](#) might work. But Titan also presents an alternative: sailing.

With all those lakes and rivers, exploring Titan with a surface ship might be a great way to see much of the moon. The vehicle wouldn't be sailing on water, though. The lakes on Titan are composed of liquid methane. The challenge is therefore making the vessel buoyant: liquid methane is only 45% as dense as liquid water. This means we would need a lot of displacement. A deep, hollow hull could do this, however, and it turns out that the [liquid methane](#) has an advantage that helps make up for the low density: it is much less viscous than water.

Reynolds number is proportional to the ratio of density to viscosity, and it turns out that friction drag on a hull is inversely proportional to Re . While Titan's seas and lakes have only 45% the density of water, they also have only 8% of the viscosity. This means that the Titan sailing vessel would only experience about 26% of the friction drag as its Earth equivalent. [Yacht designers have found that the friction drag is about equal to $0.075/(\log(Re)-2)^2$]. That leaves us room to make the hull deeper (important to compensate for the density as above), and longer (if we want a longer waterline, which will make the bow waves longer and improve maximum speed).



An illustration showing how a sailboat mission to Titan might land and become operational. Credit: Estevan Guzman for Universe Today.

The sail itself would get less wind, on average, on Titan than Earth. Average wind speeds on Titan seem to be about 3 meters/s, according to Cassini, though it might be higher over the lakes. Average wind speed over Earth oceans is closer to 6.6 meters/s. But, the Titan atmosphere is also about 4x denser than Earth's, and both lift and drag are proportional to fluid density. All told, this means that the total fluid force on the sail

will be about 83% of what you'd get on Earth, all else being equal, which could be sufficient. There would be a premium on sail efficiency and size, and so we might have to take advantage of the low-friction hull to examine shapes with more stability that can house a larger, taller (and presumably high aspect ratio) sail.



Titan Mare Explorer. Credit: NASA/JPL

This is all quite speculative, of course, but it provides a fun exercise and perhaps provides inspiration as we imagine tall-sailed robotic vessels silently cruising the lakes of Titan.

Source: [Universe Today](#)

Citation: Let's put a sailboat on Titan (2014, April 16) retrieved 2 May 2024 from <https://phys.org/news/2014-04-sailboat-titan.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.