


# New meteor shower "just a memory" of what once was there

July 23 2014

---



Frame-by-frame development of a Camelopardalid on 2014 May 24 at 01h58m08s UT. Original recording by Peter C. Slansky. Credit: Jim Albers and Peter Jenniskens.

The weak display of last month's Camelopardalids meteor shower, the

result of the close passage of comet 209P/LINEAR, may have disappointed backyard observers, but this never-before-seen shower now has scientists excited. An analysis of airborne and ground-based observations published in the latest issue of the Journal of the International Meteor Organization finds that this comet's dust was unusually fragile, and had fallen apart into undersized meteors that were largely invisible.

"Some mechanism was at work that efficiently fragmented the larger meteoroids," says Peter Jenniskens, a meteor astronomer with the SETI Institute. Ten years ago, Jenniskens, together with colleague Esko Lyytinen, first predicted that a new shower would appear on May 24.

On that evening, Jenniskens' research team took to the skies in a Beechcraft King Air 90 aircraft, a flight sponsored by the SETI Institute, and in little over two hours detected 21 Camelopardalids, predominantly faint [meteors](#).

"Our best meteor was no more luminous than the star Vega", says Jenniskens, "but it gave us a clue as to why there were few bright ones: It was so fragile that the meteoroid suddenly dispersed into a cloud of dust at the end of its trajectory."

Similar behavior was displayed during the 1933 and 1946 Draconid meteor storms, a consequence of close encounters with comet 21P/Giacobinni-Zinner. That comet was hyper-active, and Jenniskens suspects that the ejected dust grains were still embedded with ice. The larger grains would have been destroyed when the grains warmed up and the ice was lost.

Comet 209P/Linear, however, was a weakly active [comet](#), not known for ejecting ice-laden dust.

"We are not sure yet what destroyed the larger meteoroids in this case," Jenniskens says. "The meteoroids may have simply been too frail to survive ejection, or the larger meteoroids could have been lost in the many years since they were ejected."

One explanation for the lack of large [meteoroids](#) is that they failed to survive the harsh conditions of space. The cometary dust encountered by Earth during May was more than a century old.

"We may have been just a few centuries late in catching a good show," says Jenniskens. "The shower we saw was just a faint memory of what once was there."

Provided by SETI Institute

Citation: New meteor shower "just a memory" of what once was there (2014, July 23) retrieved 20 September 2024 from <https://phys.org/news/2014-07-meteor-shower-memory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.