

First national study finds trees saving lives, reducing respiratory problems

July 26 2014

In the first broad-scale estimate of air pollution removal by trees nationwide, U.S. Forest Service scientists and collaborators calculated that trees are saving more than 850 human lives a year and preventing 670,000 incidences of acute respiratory symptoms.

While trees' pollution removal equated to an average air quality improvement of less than 1 percent, the impacts of that improvement are substantial. Researchers valued the human health effects of the reduced air pollution at nearly \$7 billion every year in a study published recently in the journal *Environmental Pollution*.

The study by Dave Nowak and Eric Greenfield of the U.S. Forest Service's Northern Research Station and Satoshi Hirabayashi and Allison Bodine of the Davey Institute is unique in that it directly links the removal of air pollution with improved human health effects and associated health values. The scientists found that pollution removal is substantially higher in rural areas than urban areas, however the effects on human health are substantially greater in urban areas than rural areas.

"With more than 80 percent of Americans living in urban area, this research underscores how truly essential urban forests are to people across the nation," said Michael T. Rains, Director of the Forest Service's Northern Research Station and the Forest Products Laboratory. "Information and tools developed by Forest Service research are contributing to communities valuing and managing the 138 million acres of trees and forests that grace the nation's cities, towns and

communities."

The study considered four pollutants for which the U.S. EPA has established air quality standards: nitrogen dioxide, ozone, sulfur dioxide, and particulate matter less than 2.5 microns (PM2.5) in aerodynamic diameter. Health effects related to air pollution include impacts on pulmonary, cardiac, vascular, and neurological systems. In the United States, approximately 130,000 PM2.5-related deaths and 4,700 ozone-related deaths in 2005 were attributed to [air pollution](#).

Trees' benefits vary with tree cover across the nation. Tree cover in the United States is estimated at 34.2 percent but varies from 2.6 percent in North Dakota to 88.9 percent in New Hampshire.

"In terms of impacts on human health, trees in urban areas are substantially more important than rural [trees](#) due to their proximity to people," Nowak said. "We found that in general, the greater the tree cover, the greater the pollution removal, and the greater the removal and population density, the greater the value of human health benefits."

More information: "Tree and Forest Effects on Air Quality and Human Health in the United States," is available online at:
<http://www.nrs.fs.fed.us/pubs/46102>

Provided by USDA Forest Service

Citation: First national study finds trees saving lives, reducing respiratory problems (2014, July 26) retrieved 25 April 2024 from <https://phys.org/news/2014-07-national-trees-respiratory-problems.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.