

Increase in reported flooding a result of higher exposure

August 19 2014



Flooding in Key Haven caused by hurricane Wilma on 10/24/2005. Credit: Marc Averette/Wikipedia

A rise in the number of reported floods in the UK over the past 129 years can mainly be explained by increased exposure, resulting from urban expansion and population growth, according to new research by the University of Southampton.

In one of the most comprehensive studies of its kind, scientists have discovered that although the number of reported floods has gone up during the 20th and 21st Century, this trend disappears when the figures are adjusted to reflect [population growth](#) and increased building numbers over the same period.

Published in the journal *Hydrological Sciences*, the study looks at data sets from 1884 to 2013 and found an upward trend in reported flooding, with [flood](#) events appearing more frequently towards the end of the 20th century, peaking in 2012 when annual rainfall was the second highest in over 100 years.

The rise in UK flood reports over the 20th Century coincides with population growth from 38.2 million to 59.1 million and a tripling in the number of houses, from 7.7 million to 24.8 million.

"As a result there were more properties exposed to flooding and more people to report flooding," says lead author Andrew Stevens. "A higher exposure to flooding will result in more reported flood events and larger potential damages."

The study found significant variation between decades in both the raw and adjusted data, with the years between 1908 -1934, 1977 – 1988 and 1998 - 2013 featuring a relatively high numbers of reported floods.

The effect of increasing and improving flood defences is unclear. While upgrades to artificial defences, like the Thames Barrier, have reduced the effect of extreme sea level events, natural flood defences may have declined over the study period.

"Attributing periods of reduced flood damage simply to the effects of improved management is difficult and must be done with care," says co-author Derek Clarke.

Professor Robert Nicholls adds "These observations should not stop concern about future flood impacts, especially in coastal areas where faster sea-level rises are expected and areas potentially exposed to higher rainfall intensities. Future flood risk may be very sensitive to changes in funding or management approaches and this has important implications for decision makers."

More information: The paper 'Trends in reported flooding in the UK: 1884-2013' is published in *Hydrological Sciences*.

Provided by University of Southampton

Citation: Increase in reported flooding a result of higher exposure (2014, August 19) retrieved 20 September 2024 from <https://phys.org/news/2014-08-result-higher-exposure.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.