

## **Collaboration aims to reduce, treat vision problems in astronauts**

August 26 2014



Luca Parmitano collects Fundoscope images of the back of the eye with the assistance of Chris Cassidy for NASA's ocular health experiment. Credit: NASA

To reduce and better treat spaceflight-induced visual impairment,



University of Houston (UH) optometrists are collaborating on a NASA study that examines ocular changes seen in a number of astronauts.

The research, developed by Heidelberg Engineering, uses Spectralis® Optical Coherence Tomography (OCT), which is a technique for obtaining subsurface images of translucent or opaque materials at a resolution equivalent to a low-power microscope. OCT effectively images reflections from within tissue to provide cross-sectional views. This technology is being used to investigate changes in visual acuity, intraocular pressure, the <u>optic nerve</u> and retinal structures in astronauts exposed to long-duration microgravity aboard the International Space Station (ISS).

"With the Spectralis instrument, changes in retinal and <u>optic nerve head</u> anatomy can be monitored in astronauts on the ISS," said Dr. Nimesh Patel, an assistant professor at the UH College of Optometry (UHCO) and a consultant to NASA. "Although there is inter-individual variability, the trends are similar and will provide important insights into the mechanisms involved."

Working with Dr. Anastas Pass, an associate professor at UHCO, and Dr. Robert Gibson, a UHCO alum and NASA optometrist, Patel says he and his colleagues have found that 21 U.S. astronauts who have endured long-duration spaceflight aboard the ISS have developed a variety of visual changes, ranging from hyperopic shift, scotoma and choroidal folds to cotton wool spots, optic nerve sheath distension, globe flattening and edema of the optic nerve.





Japan Aerospace Exploration Agency (JAXA) astronaut Akihiko Hoshide, Expedition 33 flight engineer, prepares to perform ultrasound eye imaging in the Columbus laboratory of the International Space Station. This is part of the Health Maintenance System Tonometry payload. Credit: National Aeronautics and Space Administration

Patel recently presented a lecture in conjunction with the NASA Ocular Health Study receiving Heidelberg Engineering's annual 2014 Xtreme Research Award. The award honors a scientific collaboration in ophthalmology each year that has an "extreme" flavor in a scientific way – whether it advances research into new diagnostic spheres, explores new technologies that expand the borders of ophthalmic knowledge or is completed under remarkable circumstances. Patel's lecture, titled "OCT in Zero G," included preliminary data from the NASA study, which uses protocols and algorithms developed by Patel and Pass.

The Ocular Health Study investigates the changes with pre-flight, in-



flight and post-flight exams. This will be useful in developing and evaluating countermeasures for longer duration missions, as well as helping to understand terrestrial-based changes associated with increased intracranial pressure, which is thought to play a significant role in spaceflight-induced visual impairment. The study of visual changes being related to intracranial pressure in astronauts is a relatively recent topic of interest in the field of space medicine.

NASA is seeking to collect further evidence to characterize the risk and define the visual, vascular and central nervous system changes that then can be used to assess the risk of <u>visual impairment</u> and intracranial pressure in microgravity environments. This, they say, will guide future research needs, such as the development of possible countermeasures to mitigate space-induced ocular impairments.

Provided by University of Houston

Citation: Collaboration aims to reduce, treat vision problems in astronauts (2014, August 26) retrieved 22 September 2024 from <u>https://phys.org/news/2014-08-collaboration-aims-vision-problems-astronauts.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.