


Scientists develop 'electronic nose' for rapid detection of *C. diff* infection

August 31 2014



From left to right Dr Martha Clokie, Professor Andy Ellis and Professor Paul Monks from the University of Leicester with the mass spectrometer Credit: University of Leicester

A fast-sensitive "electronic-nose" for sniffing the highly infectious bacteria *C. diff*, that causes diarrhoea, temperature and stomach cramps, has been developed by a team at the University of Leicester.

Using a mass spectrometer, the research team has demonstrated that it is

possible to identify the unique 'smell' of *C. diff* which would lead to rapid diagnosis of the condition.


What is more, the Leicester team say it could be possible to identify different [strains](#) of the disease simply from their smell – a chemical fingerprint - helping medics to target the particular condition.

The research is published on-line in the journal *Metabolomics*.

Professor Paul Monks, from the Department of Chemistry, said: "The [rapid detection](#) and identification of the bug *Clostridium difficile* (often known as *C. diff*) is a primary concern in healthcare facilities. Rapid and accurate diagnoses are important to reduce *Clostridium difficile* infections, as well as to provide the right treatment to infected patients.

"Delayed treatment and inappropriate antibiotics not only cause high morbidity and mortality, but also add costs to the healthcare system through lost bed days.

Different strains of *C. difficile* can cause different symptoms and may need to be treated differently so a test that could determine not only an infection, but what type of infection could lead to new treatment options."



An image of *Clostridium difficile* or *C-diff*. Credit: University of Leicester

The new published research from the University of Leicester has shown that it is possible to 'sniff' the infection for rapid detection of *Clostridium difficile*. The team have measured the Volatile Organic Compounds (VOCs) given out by different strains of *Clostridium difficile* and have shown that many of them have a unique "smell". In particular, different strains show different chemical fingerprints which are detected by a [mass spectrometer](#).

The work was a collaboration between University chemists who developed the "electronic-nose" for sniffing volatiles and a colleague in microbiology who has a large collection of well characterised strains of

Clostridium difficile.

The work suggests that the detection of the chemical fingerprint may allow for a rapid means of identifying *C. difficile* infection, as well as providing markers for the way the different strains grow.

Professor Monks added: "Our approach may lead to a rapid clinical diagnostic test based on the VOCs released from faecal samples of patients infected with *C. difficile*. We do not underestimate the challenges in sampling and attributing *C. difficile* VOCs from faecal samples."

Dr Martha Clokie, from the Department of Microbiology and Immunology, added: "Current tests for *C. difficile* don't generally give strain information - this test could allow doctors to see what strain was causing the illness and allow doctors to tailor their treatment."

Professor Andy Ellis, from the Department of Chemistry, said: "This work shows great promise. The different strains of *C. diff* have significantly different chemical fingerprints and with further research we would hope to be able to develop a reliable and almost instantaneous tool for detecting a specific strain, even if present in very small quantities."

Provided by University of Leicester

Citation: Scientists develop 'electronic nose' for rapid detection of *C. diff* infection (2014, August 31) retrieved 18 May 2024 from <https://phys.org/news/2014-08-scientists-electronic-nose-rapid-diff.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.