


Causes of California drought linked to climate change

September 29 2014, by Ker Than



Scientists agree that the immediate cause of the California drought is a particularly stubborn "blocking ridge" over the northeastern Pacific -- popularly known as the Ridiculously Resilient Ridge, or "Triple R" -- that prevented winter storms from reaching California during the 2013 and 2014 rainy seasons. Credit: Daniel Swain, Stanford School of Earth Sciences

The atmospheric conditions associated with the unprecedented drought currently afflicting California are "very likely" linked to human-caused climate change, Stanford scientists say.

In a new study, a team led by Stanford [climate](#) scientist Noah

Diffenbaugh used a novel combination of computer simulations and [statistical techniques](#) to show that a persistent region of high atmospheric pressure hovering over the Pacific Ocean that diverted storms away from California was much more likely to form in the presence of modern greenhouse gas concentrations.

The research, published on Sept. 29 as a supplement to this month's issue of the *Bulletin of the American Meteorological Society*, is one of the most comprehensive studies to investigate the link between climate change and California's ongoing drought.

"Our research finds that extreme atmospheric high pressure in this region—which is strongly linked to unusually low precipitation in California—is much more likely to occur today than prior to the human emission of [greenhouse gases](#) that began during the Industrial Revolution in the 1800s," said Diffenbaugh, associate professor of Environmental Earth System Science at Stanford and a senior fellow at the Stanford Woods Institute for the Environment.

The exceptional drought currently crippling California is by some metrics the worst in state history. Combined with unusually warm temperatures and stagnant air conditions, the lack of precipitation has triggered a dangerous increase in wildfires and incidents of air pollution across the state. A recent report estimated that the water shortage would result in direct and indirect agricultural losses of at least \$2.2 billion, and lead to the loss of more than 17,000 seasonal and part-time jobs in 2014 alone. Such impacts prompted California Governor Jerry Brown to declare a drought emergency, and the federal government to designate all 58 California counties as "natural disaster areas."

Scientists agree that the immediate cause of the drought is a particularly stubborn "blocking ridge" over the northeastern Pacific –popularly known as the Ridiculously Resilient Ridge, or "Triple R" –that prevented

winter storms from reaching California during the 2013 and 2014 rainy seasons.

Blocking ridges are regions of high atmospheric pressure that disrupt typical wind patterns in the atmosphere. "Winds respond to the spatial distribution of atmospheric pressure," said Daniel Swain, a graduate student in Diffenbaugh's lab and lead author of the study. "We have seen this amazingly persistent region of high pressure over the northeastern Pacific for many months now, which has substantially altered atmospheric flow and kept California largely dry."

Blocking ridges occur periodically at temperate latitudes, but the Triple R was exceptional for both its size and longevity. While it dissipated briefly during the summer months of 2013, it returned even stronger by fall 2013 and persisted through much of the winter, which is normally California's "wet season." "At its peak in January 2014, the Triple R extended from the subtropical Pacific between California and Hawaii to the coast of the Arctic Ocean north of Alaska," said Swain, who coined the term "ridiculously resilient ridge" last fall to highlight the unusually persistent nature of the offshore blocking ridge.



The drought crippling California is by some measures the worst in the state's

history. Credit: NOAA

Like a large boulder that has tumbled into a narrow stream, the Triple R diverted the flow of high-speed air currents known as the jet stream far to the north, causing Pacific storms to bypass not only California, but also Oregon and Washington. As a result, rain and snow that would normally fall on the West Coast were instead re-routed to Alaska and as far north as the Arctic Circle.

An important question for scientists and decision-makers has been whether human-caused climate change has influenced the conditions responsible for California's drought. Given the important role of the Triple R, Diffenbaugh's team set out to measure the probability of such extreme ridging events. The team first assessed the rarity of the Triple R in the context of the 20th century historical record. They found that the combined persistence and intensity of the Triple R in 2013 was unrivaled by any event since 1948, which is when comprehensive information about the circulation of the atmosphere is first available.

To more directly address the question of whether climate change played a role in the probability of the 2013 event, the team collaborated with Bala Rajaratnam, assistant professor of Statistics and of Environmental Earth System Science, and an affiliated faculty of the Woods Institute for the Environment. Rajaratnam and his graduate students Michael Tsiang and Matz Haugen applied advanced statistical techniques to a large suite of [climate model simulations](#). Using the Triple R as a benchmark, the group compared geopotential heights—an atmospheric property related to pressure— between two sets of climate model experiments. One set mirrored the present climate, in which the atmosphere is growing increasingly warm due to human emissions of carbon dioxide and other greenhouse gases. In the other set of

experiments, greenhouse gases were kept at a level similar to those that existed just prior to the Industrial Revolution.

The interdisciplinary research team found that the extreme geopotential heights associated with the Triple R in 2013 were at least three times as likely to occur in the present climate as in the preindustrial climate. They also found that such extreme values are consistently tied to unusually low precipitation in California, and the formation of atmospheric ridges over the northeastern Pacific.

"We've demonstrated with high statistical confidence that the large-scale [atmospheric conditions](#), similar to those associated with the Triple R, are far more likely to occur now than in the climate before we emitted large amounts of greenhouse gases," Rajaratnam said.

"In using these advanced statistical techniques to combine climate observations with model simulations, we've been able to better understand the ongoing drought in California," Diffenbaugh added.

"This isn't a projection of 100 years in the future. This is an event that is more extreme than any in the observed record, and our research suggests that global warming is playing a role right now."

Provided by Stanford University

Citation: Causes of California drought linked to climate change (2014, September 29) retrieved 20 September 2024 from <https://phys.org/news/2014-09-california-drought-linked-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.