

Slime-producing molecules help spread disease from cats to sea otters

October 8 2014, by Pat Bailey



Sticky polymers produced by seaweed aid in the transmission of a parasitic disease from cats to marine snails to the endangered southern sea otter in California's coastal waters. Credit: Thinkstock photo

(Phys.org) —The spread of diseases from land animals to sea otters and other marine mammals is aided and abetted by gelatinous, sticky polymers produced by seaweed, reports a research team headed by a UC Davis veterinary infectious-disease expert.

These large, complex molecules form slimy biofilms and bind water-borne organic matter into larger particles, in which disease-causing microorganisms can become embedded and introduced to the [marine food chain](#), the researchers discovered.

Using the parasite *Toxoplasma gondii* as a model, they showed how these sticky polymers increase the chance that disease-causing organisms would be picked up by [marine snails](#), which graze on kelp and are among the common foods of some endangered sea otters.

Findings from the new study will be published Oct. 8 in the journal *Proceedings of the Royal Society B*.

"Discovering the role that these invisible polymers play in disease transmission in the ocean is a tremendous step forward in helping us better understand and mitigate the impacts of coastal water pollution on the health of wildlife and humans," said lead author Karen Shapiro, a research scientist in the School of Veterinary Medicine.

Sea otters and humans at risk

Contamination of coastal waters with disease-causing microorganisms is known to pose a threat to the health of both humans and animals, but the mechanisms by which diseases are transmitted in marine ecosystems has until now remained a mystery.

The researchers focused on *Toxoplasma gondii*, a protozoan parasite that infects animals and humans worldwide.

The parasite actively reproduces in various cat species including domestic cats. Its [egg cells](#) pass on in cat feces and can persist in the environment for months to years, infecting marine mammals including the endangered southern [sea otter](#) in California.

Humans also can be infected by *T. gondii* when they consume contaminated water or undercooked shellfish.

Snails to sea otter transmission

Puzzled by the high rate of *T. gondii* infection in sea otters and other marine mammals, the researchers set out to track the route of transmission. Noting that *T. gondii* infections were 10 times more common among sea otters that fed heavily on kelp-grazing marine snails than among otters that fed on abalone and other ocean food sources, they investigated why the sea snails might be particularly effective carriers of the parasite.

In laboratory tests, the researchers discovered that the gelatinous polymers, excreted by seaweed, act in two ways to provide an environment conducive to transmission of infectious diseases. First, the polymers act like glue, binding together water-borne organic material into larger particles, in which infectious agents like the *T. gondii* egg cells can embed and more quickly settle to the ocean floor.

Secondly, the polymers help to form sticky biofilms, which can trap the *T. gondii* egg cells and coat kelp on which marine snails graze. The parasite then can be easily passed on when the snails are eaten by otters, completing the intricate chain of disease transmission from land-based cats to the endangered coastal [sea](#) otters.

Other researchers on the study were Colin Krusor, Patricia A. Conrad, John L. Largier and Jonna A.K. Mazet, all of UC Davis, and Fernanda

F.M. Mazzillo and Mary W. Silver, both of UC Santa Cruz.

The National Science Foundation's Evolution and Ecology of Infectious Disease program provided funding for the study.

More information: Aquatic polymers can drive pathogen transmission in coastal ecosystems, *Proc. R. Soc. B*, 22 November 2014 vol. 281 no. 1795 20141287, [rspb.royalsocietypublishing.org ...
nt/281/1795/20141287](https://royalsocietypublishing.org/doi/10.1098/rspb.2014.1287)

Provided by UC Davis

Citation: Slime-producing molecules help spread disease from cats to sea otters (2014, October 8) retrieved 19 September 2024 from <https://phys.org/news/2014-10-slime-producing-molecules-disease-cats-sea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.