

Bioluminescence as a method of assessing fish stocks

December 9 2014



Dinoflagellates

Research by the National Oceanography Centre (NOC) explores a promising new method of forecasting bioluminescence, which may improve the monitoring of movements in the ocean, such as fish shoals and internal waves.

As fish move through the sea they churn the water around them. This movement disturbs the <u>bioluminescent organisms</u>, triggering a chemical reaction that emits a flash of light. The combined flashes of hundreds of thousands of organisms give the impression of a constant glow of <u>blue</u>



light, which Aristotle termed 'flaming seas' around 410 BC.

This research, conducted by Dr Charlotte Marcinko of the NOC, is the first time that anyone has examined how <u>bioluminescence</u> could be predicted by modelling the bioluminescent organisms themselves. Previously scientists have used relationships between bioluminescence and other biochemical environmental variables to try and predict when and how much bioluminescence there would be in a given area. The study by Dr Charlotte Marcinko, published in the Journal of Marine Systems, uses a simple ecological model to simulate seasonal changes in the abundance of a particular type of bioluminescent organisms called dinoflagellates.

Charlotte explains why she embarked on this research "I once went on a cruise and saw bioluminescence lighting up the boats wake...I just looked at it and I couldn't help but wonder what caused it. A lot of people say it is mystical, I can see why they think that... people also think it's rare, it actually isn't, it happens nearly everywhere in the ocean."

It is not yet known why dinoflagellates emit light. One key theory is that the flash of light is intended to startle predators. The other is the 'burglar alarm' hypothesis, in which the <u>light</u> is intended to alert larger predators to the presence of the one threatening the bioluminescent organisms themselves, thereby using the larger predictors as 'body guards'.





More information: Marcinko, Charlotte L.J.; Martin, Adrian P.; Allen, John T.. 2014 "Modelling dinoflagellates as an approach to the seasonal forecasting of bioluminescence in the North Atlantic." *Journal of Marine Systems*, 139. 261-276. 10.1016/j.jmarsys.2014.06.014

Provided by National Oceanography Centre, Southampton



Citation: Bioluminescence as a method of assessing fish stocks (2014, December 9) retrieved 22 September 2024 from <u>https://phys.org/news/2014-12-bioluminescence-method-fish-stocks.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.