


# Picture this—biosecurity seen from the inside

January 16 2015

---



Jas9-VENUS biosensor responds to changes in jasmonic acid levels. Credit: The Centre for Plant Integrative Biology

When plants come under attack internal alarm bells ring and their

defence mechanisms swing into action - and it happens in the space of just a few minutes. Now, for the first time, plant scientists - including experts from The University of Nottingham - have imaged, in real time, what happens when plants beat off the bugs and respond to disease and damage.

The research, "A fluorescent hormone biosensor reveals the dynamics of jasmonate signalling in [plants](#)", was carried out by an interdisciplinary team from the UK, France and Switzerland and has been published in the leading academic journal *Nature Communications*.

Malcolm Bennett, Professor in Plant Science at The University of Nottingham and Director of the Centre for Plant Integrative Biology, said: "Understanding how plants respond to mechanical damage, such as [insect attack](#), is important for developing crops which cope better under stress."


Their research focussed on the plant hormone jasmonic acid which is part of the plant's alarm system and defence mechanism. Jasmonic acid is released during insect attack and controls the response to damage. Disease can also trigger jasmonic acid - so it's a general defence compound.

Professor Bennett said: "We have created a special fluorescent protein - Jas9-VENUS - that is rapidly degraded after jasmonic acid is produced. This allowed us to monitor where jasmonic levels are increased when the fluorescent signal is lost."

## **Defences can be prepared in minutes**

Using a blade to damage a leaf the research team mimicked an insect feeding. With the [fluorescent protein](#) they were able to image how damage to a leaf quickly results in a pulse of jasmonic acid that reaches

all the way down to the tip of the root, at a speed of more than a centimetre per minute. Once this hormone pulse reaches the root it triggers more jasmonic acid to be produced locally, amplifying the wounding signal and ensuring other parts of the plant are prepared for attack.



Jas9-VENUS biosensor responds to changes in jasmonic acid levels. Credit: The Centre for Plant Integrative Biology

Professor Bennett said: "Jasmonic acid triggers the production of defence compounds like protease inhibitors to stop the insect being able to digest the plant proteins - the plant becomes indigestible and the insect stops eating it."

Laurent Laplaze, a group leader at IRD (Institut de recherche pour le développement) in Montpellier, described the new biosensor used to pinpoint what happens when plants are damaged. He said: "The Jas9-VENUS biosensor responds to changes in jasmonic acid levels in plant cells within a few minutes. Our new biosensor now allows us to see exactly where jasmonic acid is being perceived by the plant, but in a quantifiable way."

## **More to learn about how plants coordinate their defences**

The new biosensor can be used to understand how the plant can coordinate a defence response. Teva Vernoux, a CNRS group leader at the Ecole Normale Supérieure in Lyon, said: "The amazing sensitivity of our new [biosensor](#) allows us to follow in real time how jasmonic [acid](#) levels are modified in a tissue when a mechanical damage occurs in another tissue some distance away. This really opens the possibility to understand changes in the physiology at the whole plant level upon stress or damage."

Provided by University of Nottingham

Citation: Picture this—biosecurity seen from the inside (2015, January 16) retrieved 20 September 2024 from <https://phys.org/news/2015-01-picture-thisbiosecurity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.