

# Some endangered sawfishes are having babies, no sex required

June 1 2015

---



Juvenile smalltooth sawfish in the Charlotte Harbor estuarine system, Florida.  
Credit: Florida Fish and Wildlife Conservation Commission (FWC)

Some female members of a critically endangered species of sawfish are reproducing in the wild without sex. The discovery, reported in the *Cell*

Press journal *Current Biology* on June 1, marks the first time living offspring from "virgin births" have been found in a normally sexually reproducing vertebrate in the wild, the researchers say.

Earlier evidence that vertebrates might sometimes reproduce via a process called parthenogenesis had primarily come from isolated examples of captive animals—including birds, reptiles, and sharks. In those instances, the animals in question surprised their keepers by giving birth despite the fact that they'd had no opportunity to mate. In addition, researchers recently reported two free-living female snakes, each pregnant with a single parthenogen, but it was not known if these embryos would have lived in the wild. Therefore, no one really knew if this phenomenon took place to any significant extent in wild populations.

Demian Chapman of Stony Brook University in New York and his colleagues from the Priztker Laboratory at the Field Museum of Chicago and Florida Fish and Wildlife Conservation Commission made the discovery that vertebrate parthenogens can and do live in the wild after conducting some routine DNA fingerprinting of [smalltooth sawfish](#) in a Florida estuary. The researchers' DNA analyses show that about 3% of the sawfish in their studies are products of this unusual form of reproduction.

Smalltooth sawfish are one of five species of sawfish, a group of large rays known for their long, tooth-studded rostrum that they use to subdue small fish. The researchers say that sawfish could be the first family of marine animals to be driven to extinction due to overfishing and coastal habitat loss. Smalltooth sawfish are mainly found today in a handful of locations in southern Florida, including the Caloosahatchee and Peace Rivers.

"We were conducting routine DNA fingerprinting of the sawfish found in this area in order to see if relatives were often reproducing with

relatives due to their small population size," says lead author of the study, Andrew Fields, a PhD candidate at the Stony Brook University's School of Marine and Atmospheric Science. "What the DNA fingerprints told us was altogether more surprising: female sawfish are sometimes reproducing without even mating."

Parthenogenesis is common in invertebrates but rare in [vertebrate animals](#), the researchers explain. Vertebrate parthenogenesis is thought to occur when an unfertilized egg absorbs a genetically identical sister cell. The resulting offspring have about half of the genetic diversity of their mothers and often die.

"There was a general feeling that vertebrate parthenogenesis was a curiosity that didn't usually lead to viable offspring," says Gregg Poulakis of the Florida Fish and Wildlife Conservation Commission, who led field collections of the sawfish.

And yet the seven parthenogens the researchers found appeared to be in perfect health. All of the animals were tagged and released back into the wild as part of an ongoing study of sawfish movements.



Juvenile smalltooth sawfish in the Charlotte Harbor estuarine system, Florida.  
Credit: Florida Fish and Wildlife Conservation Commission (FWC).

"Occasional [parthenogenesis](#) may be much more routine in wild animal populations than we ever thought," says Kevin Feldheim of the Pritzker Laboratory at the Field Museum of Chicago, where the DNA fingerprinting was conducted.

It's possible that this form of reproduction occurs mainly in small or dwindling populations. The researchers are now encouraging others to screen their DNA databases in search of other hidden instances of vertebrate parthenogens living in the wild.

As for smalltooth sawfish, it's possible this ability could keep them going for a little longer. But it won't be enough to save them.

"This should serve as a wake-up call that we need serious global efforts to save these animals," Feldheim says.

**More information:** *Current Biology*, Fields et al. "Facultative parthenogenesis in a critically endangered wild vertebrate"  
[dx.doi.org/10.1016/j.cub.2015.04.018](https://doi.org/10.1016/j.cub.2015.04.018)

Provided by Cell Press

Citation: Some endangered sawfishes are having babies, no sex required (2015, June 1) retrieved 27 April 2024 from  
<https://phys.org/news/2015-06-endangered-sawfishes-babies-sex-required.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.