


Five amazing extinct creatures that aren't dinosaurs

June 18 2015, by Charlotte Stephenson



Jumping the shark. Credit: Dmitry Bogdanov, CC BY-SA

The release of Jurassic World has reignited our love for palaeontology. Many of us share a longing to understand the dinosaurs that roamed the Earth long before we arrived. But palaeontology is a discipline much

broader than this.

Dinosaurs dominated the land for 135 million years, but what happened during the rest of the Earth's 4.6 billion-year history? The role of palaeontologists past and present has been to unravel the mysteries of life on Earth, and in doing so they've found a lot more than just dinosaur bones.


1. The spiky-backed ocean dweller

Hallucigenia was discovered when a 508 million year old fossil was found in 1911 in the world-famous [Burgess Shale](#) fossil site in Canada. Since then, our understanding of this ocean-dwelling creature has changed dramatically.

Its age means it falls into the geological [Cambrian period](#), a pivotal moment for all life on Earth when complex lifeforms started to rapidly evolve. When originally described, *Hallucigenia* was first thought to have walked along the ocean floor on spiny legs and used tentacles on its back to catch food. Palaeontologists also argued over which end was its head.

But when a similar fossil was [found in China](#), *Hallucigenia* was re-examined. Palaeontologists then discovered that its "legs" were actually protective spines on its back, and the tentacles formed two rows on its underside enabling it to "walk". Researchers are [still debating](#) many of the features of *Hallucigenia* today, more than 100 years after it was discovered.

2. (Almost) the first fish out of water



Best foot forward. Credit: Nobu Tamura, CC BY-SA

100 million years on from *Hallucigenia*, aquatic habitats were thriving, but life on land was still in its earliest stages. [*Tiktaalik*](#), part fish, part four-legged animal, is believed to be the first creature to develop characteristics that would help animals move out of the water and on to land.

It had gills, fins and scales like a fish, but also [evolved features](#) such as a flexible neck and a reptile-like head and lungs, beneficial for life on the ground. Fossils also show *Tiktaalik* had long fins that acted as legs, meaning it could "walk" along riverbeds as well as swim.

3. The giant Scottish scorpion




Sting in the tail. Credit: Nobu Tamura, CC BY

[*Pulmonoscorpius kircktonensis*](#), a 70cm-long scorpion, lived in what we now know as Scotland 340 million years ago. At a length greater than that of the average pet cat, this terrifying creature used its tail to catch and kill its prey.

Pulmonoscorpius also had unusually large eyes compared to its modern relatives, so most likely hunted during daylight hours. Scorpions shed their skin as they grow, so fossils of both the skin and the animal itself have been found.

4. The spiral-lipped shark



Jumping the shark. Credit: Dmitry Bogdanov, CC BY-SA

[*Helicoprion*](#), a shark-like fish alive during the Permian (290 million years ago), had a rather unique dental structure. With a face that baffled palaeontologists for years, this creature had a lower jaw made up of a spiral of teeth, known as a [tooth-whorl](#).

Modern sharks are able to lose and replace their teeth, but *Helicoprion* kept them all, with older teeth hidden within the inner layers of the tooth-whorl. When it caught its prey (most likely relatives of the squid), it

would close its mouth and rotate its tooth-whorl to shred its catch.

5. A tiny, drunk horse



Gone to that big horsey ring in the sky. Credit: Daderot

The [Messel Oil Shale](#), once a volcanic lake in Germany, has plenty to offer the world of [palaeontology](#). *Eurohippus messelensis*, was a miniature horse (the size of a modern day fox) originally thought to have died from eating fermented berries and in a drunken stupor, fallen into the lake. It's now believed the 47 million year old horse actually died from inhaling toxic gas occasionally released from the depths of the lake.

But the misfortune continues, as it was later discovered that the horse was pregnant. Palaeontologists used high-resolution microscopes to identify the bones of a foal within the adult [Eurohippus](#), improving our understanding of foetal development in these animals.

Palaeontology is [a career](#) firmly seated on many childhood wish-lists alongside movie stars and astronauts, and rightly so. But it's important to remember there's a lot more to palaeontology than the dinosaurs. This list is just the start.

This story is published courtesy of [The Conversation](#) (under Creative Commons-Attribution/No derivatives).

Source: The Conversation

Citation: Five amazing extinct creatures that aren't dinosaurs (2015, June 18) retrieved 20 September 2024 from <https://phys.org/news/2015-06-amazing-extinct-creatures-dinosaurs.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--