


Scientists propose an enhanced new model of the source of a mysterious barrier to fusion known as the 'density limit'

June 29 2015



Magnetic island geometry showing the asymmetry effect that is crucial in determining the mechanism for the density limit. Reprinted with permission from *Phys. Plasmas* 22, 022514 (2015). Credit: Copyright 2015 AIP Publishing LLC.

Researchers at the U.S. Department of Energy's (DOE) Princeton Plasma Physics Laboratory (PPPL) have developed a detailed model of the source of a puzzling limitation on fusion reactions. The findings, published this month in *Physics of Plasmas*, complete and confirm previous PPPL research and could lead to steps to overcome the barrier if the model proves consistent with experimental data. "We used to have correlation," said physicist David Gates, first author of the paper. "Now

we believe we have causation."

At issue is a problem known as the "[density](#) limit" that keeps donut-shaped fusion facilities called tokamaks from operating at peak efficiency. This limit occurs when the superhot, charged plasma gas that fuels fusion reactions reaches a certain density and spirals apart in a flash of light, shutting down the reaction. Overcoming the limit could facilitate the development of fusion as a safe, clean and abundant source of energy for generating electricity.

Bubble-like islands

The key to this barrier lies in the runaway growth of bubble-like islands that form within the magnetically confined plasma and cool it, according to the paper. While physicists had long suspected that this cooling effect was linked to the density limit—also known as the "Greenwald limit" after MIT physicist Martin Greenwald, who derived an empirical rule for it—they lacked insight into the mechanics.

The apparent breakthrough came when Gates and coauthors studied the process by which the islands are cooled by impurities that stray plasma particles kick up from the walls of the tokamak. Countering this cooling is heating that researchers pump into the plasma. But the scientists found that even a tiny bit of net cooling in the interior of the islands can cause them to grow exponentially, leading to disruption of the crucial current that runs through the [plasma](#) and completes the magnetic field that holds the hot gas together.

Reaching this finding called for rethinking some long-held ideas about the growth of the islands. These included a 1977 paper on the stability of islands by theorist Roscoe White of PPPL that extended the analysis of a 1973 paper by British physicist Paul Harding Rutherford. The 1977 work showed a stabilizing effect that appeared to override the impact of

a later effect by French physicist Paul-Henri Rebut that attempted to demonstrate runaway growth of the islands.

Tipping the balance

Ironically, it was White himself who showed that his 1977 paper was not really the last word on the subject. In a new paper published in *Physics of Plasmas* last February, White demonstrated that when the thermal balance in an island tips from heating to cooling, the island also becomes asymmetric. The asymmetry cancelled the effect of the 1977 equation that indicated island stability and caused the Rebut model of island growth to be dominant. "I don't know why we didn't think of the thermal balance in the island before," White said.

His discovery grew out of conversations with Gates, a coauthor with PPPL physicist Dylan Brennan of White's February paper. Gates had reviewed data on the evolution of islands in fusion experiments and noticed that they became asymmetric at the density limit. After consulting with White, Gates hypothesized that the development might be important. He and White then added the effect of this asymmetry to the Rutherford/White and Rebut equations to complete a revised model of the source of the density limit.

Still to come are papers on a numerical simulation of the model by Brennan and the impact of different mixtures of impurities on the density limit by physicist Luis Delgado-Aparicio of PPPL. Both had joined White in coauthoring the Gates paper. Also ahead are comparisons of the new model with past experiments that disrupted at the density limit. Graduate student Qian Teng is to make these comparisons. "So far we've shown that in principle the full equation works," said White. "Now we must check it against detailed disruption cases."

Provided by Princeton Plasma Physics Laboratory

Citation: Scientists propose an enhanced new model of the source of a mysterious barrier to fusion known as the 'density limit' (2015, June 29) retrieved 19 April 2024 from <https://phys.org/news/2015-06-scientists-source-mysterious-barrier-fusion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.