

CO₂ emissions change with size of streams and rivers

August 12 2015, by Michelle Ma



A stream in Wyoming. Credit: Erin Hotchkiss

All freshwater streams and rivers actually release carbon dioxide, but the source of those emissions has for years been unclear to scientists.

Now, researchers have shown that the greenhouse gas appears in streams by way of two different sources—either as a direct pipeline for groundwater and carbon-rich soils, or from aquatic organisms releasing the gas through respiration and natural decay.

CO₂'s origins—land or life—depend largely on the size of the stream or river, according to a paper published Aug. 10 in *Nature Geosciences*. These findings shed light on the role freshwater rivers play in the global carbon cycle.

"This paper validates that in certain systems, a lot of the carbon dioxide is coming from terrestrial systems, but as you get to larger rivers, that connection to the land becomes less and less strong. This is the first broad study to show that," said co-author David Butman, a University of Washington assistant professor of environmental and forest sciences and of civil and environmental engineering.

The researchers found that smaller streams usually carry carbon dioxide that is produced by plants on land and then transferred to the water by way of soil and groundwater. That happens because at its headwaters, a small stream often is surrounded by trees and other plants that pull carbon out of the atmosphere and store or "sink" it in soils and biomass.

But in larger streams, most CO₂ emissions are produced directly in the water itself. More plants and animals are present in larger rivers, and they use available oxygen and convert organic carbon to carbon dioxide through respiration.

Understanding how carbon dioxide ends up in streams and rivers will improve predictions of how changes to river systems affect the efficiency of terrestrial ecosystems at removing greenhouse gases from the atmosphere, researchers say.

"It is very important to know the sources of carbon dioxide in running waters as well as the processes controlling respiration and emissions if we are to understand what happens when the environment changes," said lead author Erin Hotchkiss, who completed the research while at Umeå University in Sweden.

Butman and Hotchkiss, along with other collaborators at Umeå University and the University of Wyoming, began working together about two years ago to see if they could pinpoint where the carbon dioxide measured in rivers and streams was coming from.



Erin Hotchkiss sampling in Polecat Creek in Wyoming, USA. Credit: Erin Hotchkiss

The researchers looked at long-term U.S. Geological Survey data from about 1,400 freshwater streams and rivers across the U.S., as well as data collected from more than 180 river monitoring sites. Their models showed that aquatic plants and animals produced about 30 percent of the carbon dioxide found in streams and rivers in the U.S. on average, and that number ranged from only 14 percent in the smallest streams to near 40 percent in large rivers.

The main takeaway, Butman said, is that rivers and streams don't all

behave the same way with regard to putting out carbon dioxide. This study is one of the first attempts to identify the source of carbon in freshwater river systems at a very large scale, helping to further our understanding of the role streams and rivers play in the global carbon cycle.

"Figuring out how these streams fit into the larger carbon cycle is most important," he said.

The next step is to take the research beyond modeling and do actual broad-scale measurements of CO₂ along entire networks of streams, Butman added.

More information: Sources of and processes controlling CO₂ emissions change with the size of streams and rivers, *Nature Geoscience* (2015) doi:10.1038/ngeo2507

Provided by University of Washington

Citation: CO₂ emissions change with size of streams and rivers (2015, August 12) retrieved 21 September 2024 from <https://phys.org/news/2015-08-significant-streams-rivers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.