


'Diamonds from the sky' approach turns CO₂ into valuable products

19 August 2015



Researchers are generating carbon nanofibers (above) from CO₂, removing a greenhouse gas from the air to make products. Credit: Stuart Licht, Ph.D.

Finding a technology to shift carbon dioxide (CO₂), the most abundant anthropogenic greenhouse gas, from a climate change problem to a valuable commodity has long been a dream of many scientists and government officials. Now, a team of chemists says they have developed a technology to economically convert atmospheric CO₂ directly into highly valued carbon nanofibers for industrial and consumer products.

The team will present brand-new research on this new CO₂ capture and utilization technology at the 250th National Meeting & Exposition of the American Chemical Society (ACS).

"We have found a way to use atmospheric CO₂ to produce high-yield [carbon nanofibers](#)," says Stuart

Licht, Ph.D., who leads a research team at George Washington University. "Such nanofibers are used to make strong carbon composites, such as those used in the Boeing Dreamliner, as well as in high-end sports equipment, wind turbine blades and a host of other products."

Previously, the researchers had made fertilizer and cement without emitting CO₂, which they reported. Now, the team, which includes postdoctoral fellow Jiawen Ren, Ph.D., and graduate student Jessica Stuart, says their research could shift CO₂ from a global-warming problem to a feed stock for the manufacture of in-demand [carbon nanofibers](#).

Licht calls his approach "diamonds from the sky." That refers to carbon being the material that diamonds are made of, and also hints at the high value of the products, such as the carbon nanofibers that can be made from atmospheric carbon and oxygen.

Because of its efficiency, this low-energy process can be run using only a few volts of electricity, sunlight and a whole lot of [carbon dioxide](#). At its root, the system uses electrolytic syntheses to make the nanofibers. CO₂ is broken down in a high-temperature electrolytic bath of molten carbonates at 1,380 degrees F (750 degrees C). Atmospheric air is added to an electrolytic cell. Once there, the CO₂ dissolves when subjected to the heat and direct current through electrodes of nickel and steel. The carbon nanofibers build up on the steel electrode, where they can be removed, Licht says.

To power the syntheses, heat and electricity are produced through a hybrid and extremely efficient concentrating solar-energy system. The system focuses the sun's rays on a photovoltaic solar cell to generate electricity and on a second system to generate heat and thermal energy, which raises the temperature of the electrolytic cell.

Licht estimates electrical energy costs of this "solar

thermal electrochemical process" to be around \$1,000 per ton of carbon nanofiber product, which means the cost of running the system is hundreds of times less than the value of product output.

"We calculate that with a physical area less than 10 percent the size of the Sahara Desert, our process could remove enough CO₂ to decrease atmospheric levels to those of the pre-industrial revolution within 10 years," he says.

At this time, the system is experimental, and Licht's biggest challenge will be to ramp up the process and gain experience to make consistently sized nanofibers. "We are scaling up quickly," he adds, "and soon should be in range of making tens of grams of nanofibers an hour."

Licht explains that one advance the group has recently achieved is the ability to synthesize carbon fibers using even less energy than when the process was initially developed. "Carbon nanofiber growth can occur at less than 1 volt at 750 degrees C, which for example is much less than the 3-5 volts used in the 1,000 degree C industrial formation of aluminum," he says.

More information: A new approach to carbon dioxide utilization: The carbon molten air battery, the 250th National Meeting & Exposition of the American Chemical Society (ACS).

Related:

1) S. Licht, "Efficient Solar-Driven Synthesis, Carbon Capture, and Desalinization, STEP: Solar Thermal Electrochemical Production of Fuels, Metals, Bleach" *Advanced Materials*, 47, 5592 (2011).

2) S. Licht, H. Wu, C. Hettige, B. Wang, J. Lau, J. Asercion, J. Stuart "STEP Cement: Solar Thermal Electrochemical Production of CaO without CO₂ emission," *Chemical Communications*, 48, 6019 (2012).

3) S. Licht, B. Cui, B. Wang, F.-F. Li, J. Lau, S. Liu, "Ammonia synthesis by N₂ and steam electrolysis in molten hydroxide suspensions of nanoscale Fe₂O₃," *Science*, 345, 637 (2014).

4) S. Licht, B. Cui, J. Stuart, B. Wang, J. Lau, "Molten Air Batteries - A new, highest energy class of rechargeable batteries, *Energy & Environmental Science*, 6, 3646 (2013).

Provided by American Chemical Society

APA citation: 'Diamonds from the sky' approach turns CO₂ into valuable products (2015, August 19)
retrieved 24 May 2019 from <https://phys.org/news/2015-08-diamonds-sky-approach-co2-valuable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.