


# Nanotechnology offers new approach to increasing storage ability of dielectric capacitors

October 23 2015



A diagram of the dielectric capacitor research developed by a University of Delaware-led research team. Credit: Kathy F. Atkinson/University of Delaware

Oct. 21, 2015, was the day that Doc Brown and Marty McFly landed in

the future in their DeLorean, with time travel made possible by a "flux capacitor."

While the flux capacitor still conjures sci-fi images, capacitors are now key components of portable electronics, computing systems, and electric vehicles.

In contrast to batteries, which offer high storage capacity but slow delivery of [energy](#), capacitors provide fast delivery but poor storage capacity.

A great deal of effort has been devoted to improving this feature—known as energy density—of dielectric capacitors, which comprise an insulating material sandwiched between two conducting metal plates.


Now, a group of researchers at the University of Delaware and the Chinese Academy of Sciences has successfully used nanotechnology to achieve this goal.

The work is reported in a paper, "Dielectric Capacitors with Three-Dimensional Nanoscale Interdigital Electrodes for Energy Storage," published in *Science Advances*.

"With our approach, we achieved an energy density of about two watts per kilogram, which is significantly higher than that of other dielectric capacitor structures reported in the literature," says Bingqing Wei, professor of mechanical engineering at UD.

"To our knowledge, this is the first time that 3D nanoscale interdigital electrodes have been realized in practice," he adds. "With their [high surface area](#) relative to their size, carbon nanotubes embedded in uniquely designed and structured 3D architectures have enabled us to

address the low ability of dielectric capacitors to store energy."



University of Delaware's Bingqing Wei is part of a research team that has reported on the use of nanotechnology to improve the energy density of dielectric capacitors. Credit: Kathy F. Atkinson/University of Delaware

One of the keys to the success of the new capacitor is an interdigitated design—similar to interwoven fingers between two hands with "gloves"—that dramatically decreases the distance between opposing electrodes and therefore increases the ability of the capacitor to store an electrical charge.

Another significant feature of the capacitors is that the unique new three-

dimensional nanoscale electrode also offers high voltage breakdown, which means that the integrated dielectric material (alumina, Al<sub>2</sub>O<sub>3</sub>) does not easily fail in its intended function as an insulator.

"In contrast to previous versions, we expect our newly structured dielectric capacitors to be more suitable for field applications that require high energy density storage, such as accessory power supply and hybrid power systems," Wei says.

**More information:** Dielectric capacitors with three-dimensional nanoscale interdigital electrodes for energy storage, *Science Advances* 23 Oct 2015: Vol. 1, no. 9, e1500605. [DOI: 10.1126/sciadv.1500605](https://doi.org/10.1126/sciadv.1500605)

Provided by University of Delaware

Citation: Nanotechnology offers new approach to increasing storage ability of dielectric capacitors (2015, October 23) retrieved 21 September 2024 from <https://phys.org/news/2015-10-nanotechnology-approach-storage-ability-dielectric.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.