


Nanostructured germanium for portable photovoltaics and battery electrodes

December 7 2015



Filled with suitable organic polymers the highly porous germanium nanofilm becomes a hybrid solar cell. Because the germanium nanostructure forms an inverse opal-structure, the material shimmers like opal. Credit: Andreas Battenberg / TUM

Using a new procedure researchers at the Technical University of

Munich (TUM) and the Ludwig Maximilians University of Munich (LMU) can now produce extremely thin and robust, yet highly porous semiconductor layers. A very promising material - for small, light-weight, flexible solar cells, for example, or electrodes improving the performance of rechargeable batteries.

The coating on the wafer that Professor Thomas Fässler, chair of Inorganic Chemistry with a Focus on Novel Materials at TU Munich, holds in his hands shimmers like an opal. And it has amazing properties: It is hard as a crystal, exceptionally thin and - since it is highly porous - light as a feather.

By integrating suitable organic polymers into the pores of the material, the scientists can custom tailor the electrical properties of the ensuing hybrid material. The design not only saves space, it also creates large interface surfaces that improve overall effectiveness.


"You can imagine our raw material as a porous scaffold with a structure akin to a honeycomb. The walls comprise inorganic, semiconducting germanium, which can produce and store electric charges. Since the honeycomb walls are extremely thin, charges can flow along short paths," explains Fässler.

The new design: bottom-up instead of top-down

But, to transform brittle, hard germanium into a flexible and porous layer the researchers had to apply a few tricks. Traditionally, etching processes are used to structure the surface of germanium. However, this top-down approach is difficult to control on an atomic level. The new procedure solves this problem.

Together with his team, Fässler established a synthesis methodology to fabricate the desired structures very precisely and reproducibly. The raw

material is germanium with atoms arranged in clusters of nine. Since these clusters are electrically charged, they repel each other as long as they are dissolved. Netting only takes place when the solvent is evaporated.



An electronmicroscopical image of the germanium-structure after removal of the polymer templates. The material forms an inverse opal-structure, which can be filled with suitable polymers to create hybrid solar cells. Credit: Katia Rodewald / TUM

This can be easily achieved by applying heat of 500 °C or it can be

chemically induced, by adding germanium chloride, for example. By using other chlorides like phosphorous chloride the germanium structures can be easily doped. This allows the researchers to directly adjust the properties of the resulting nanomaterials in a very targeted manner.

Tiny synthetic beads as nanotemplates

To give the germanium clusters the desired porous structure, the LMU researcher Dr. Dina Fattakhova-Rohlfing has developed a methodology to enable nanostructuring: Tiny polymer beads form three-dimensional templates in an initial step.

In the next step, the germanium-cluster solution fills the gaps between the beads. As soon as stable germanium networks have formed on the surface of the tiny beads, the templates are removed by applying heat. What remains is the highly porous nanofilm.

The deployed polymer beads have a diameter of 50 to 200 nanometers and form an opal structure. The germanium scaffold that emerges on the surface acts as a negative mold - an inverse opal structure is formed. Thus, the nanolayers shimmer like an opal.

"The porous germanium alone has unique optical and electrical properties that many energy relevant applications can profit from," says LMU researcher Dr. Dina Fattakhova-Rohlfing, who, in collaboration with Fässler, developed the material. "Beyond that, we can fill the pores with a wide variety of functional materials, thereby creating a broad range of novel hybrid materials."

Nanolayers pave the road to portable photovoltaic solutions

"When combined with polymers, porous germanium structures are suitable for the development of a new generation of stable, extremely light-weight and flexible [solar cells](#) that can charge mobile phones, cameras and laptops while on the road," explains the physicist Peter Müller-Buschbaum, professor of functional materials at TU Munich.

Manufacturers around the world are on the lookout for light-weight and robust materials to use in portable solar cells. To date they have used primarily organic compounds, which are sensitive and have relatively short lifetimes. Heat and light decompose the polymers and cause the performance to degrade. Here, the thin but robust [germanium](#) hybrid layers provide a real alternative.

Nanolayers for new battery systems

Next, the researchers want to use the new technology to manufacture highly porous silicon layers. The layers are currently being tested as anodes for rechargeable batteries. They could conceivably replace the graphite layers currently used in batteries to improve their capacity.

More information: Zintl Clusters as Wet Chemical Precursors for Germanium Nanomorphologies with Tunable Composition; Manuel M. Bentlohner, Markus Waibel, Patrick Zeller, Kuhu Sarkar, Peter Müller-Buschbaum, Dina Fattakhova-Rohlfing, Thomas F. Fässler, *Angewandte Chemie*, [DOI: 10.1002/ange.201508246](https://doi.org/10.1002/ange.201508246)

Provided by Technical University Munich

Citation: Nanostructured germanium for portable photovoltaics and battery electrodes (2015, December 7) retrieved 25 April 2024 from <https://phys.org/news/2015-12-nanostructured-germanium-portable-photovoltaics-battery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.