

Research demonstrates 'hybrid' logic gate as work towards quantum computer continues

December 16 2015

Just over a year ago, the UK government announced an investment of £270m over five years to help get quantum technology out of laboratories and into the marketplace.

Oxford was chosen to lead one of four EPSRC-funded 'Hubs' looking at different aspects of [quantum technology](#) - in Oxford's case, shaping the future of quantum networking and computing, towards the ultimate goal of developing a functioning quantum computer.

Since then, the Networked Quantum Information Technologies (NQIT - pronounced 'N-kit') Hub, based at Oxford but involving nearly 30 academic and industrial partners, has been focusing on developing quantum technologies that could dwarf the processing power of today's supercomputers.

A new paper by Oxford researchers, published in the journal *Nature*, demonstrates how the work of the Hub is progressing.

Professor David Lucas of Oxford's Department of Physics, co-leader, with Professor Andrew Steane, of the ion trap quantum computing group, explains: "The development of a "quantum computer" is one of the outstanding technological challenges of the 21st century. A quantum computer is a machine that processes information according to the rules of quantum physics, which govern the behaviour of microscopic particles at the scale of atoms and smaller.

'An important point is that it is not merely a different technology for computing in the same way our everyday computers work; it is at a very fundamental level a different way of processing information. It turns out that this quantum-mechanical way of manipulating information gives quantum computers the ability to solve certain problems far more efficiently than any conceivable conventional computer. One such problem is related to breaking secure codes, while another is searching large data sets. Quantum computers are naturally well-suited to simulating other quantum systems, which may help, for example, our understanding of complex molecules relevant to chemistry and biology.'

One of the leading technologies for building a quantum computer is trapped atomic ions, and a principal goal of the NQIT project is to develop the constituent elements of a quantum computer based on these ions.

Professor Lucas says: 'Each trapped ion (a single atom, with one electron removed) is used to represent one "quantum bit" of information. The quantum states of the ions are controlled with laser pulses of precise frequency and duration. Two different species of ion are needed in the computer: one to store information (a "memory qubit") and one to link different parts of the computer together via photons (an "interface qubit").'

The *Nature* paper, whose lead author is Magdalen College Junior Research Fellow Chris Ballance, demonstrates the all-important quantum 'logic gate' between two different species of ion - in this case two isotopes of calcium, the abundant isotope calcium-40 and the rare isotope calcium-43.

Professor Lucas says: 'The Oxford team has previously shown that calcium-43 makes the best single-qubit memory ever demonstrated, across all physical systems, while the calcium-40 ion has a simpler

structure which is well-suited for use as an "interface qubit". The logic gate, which was first demonstrated for same-species ions at NIST Boulder (USA) in 2003, allows quantum information to be transferred from one qubit to another; in the present work, the qubits reside in the two different isotopes, stored in the same ion trap. The Oxford work was the first to demonstrate that this type of logic gate is possible with the demanding precision necessary to build a quantum computer.

'In a nice piece of "spin-off science" from this technological achievement, we were able to perform a "Bell test", by first using the high-precision logic gate to generate an entangled state of the two different-species ions, then manipulating and measuring them independently. This is a test which probes the non-local nature of quantum mechanics; that is, the fact that an entangled state of two separated particles has properties that cannot be mimicked by a classical system. This was the first time such a test had been performed on two different species of atom separated by many times the atomic size.'

While Professor Lucas cautions that the so-called 'locality loophole' is still present in this experiment, there is no doubt the work is an important contribution to the growing body of research exploring the physics of entanglement. He says: 'The significance of the work for trapped-ion [quantum computing](#) is that we show that quantum [logic gates](#) between different isotopic species are possible, can be driven by a relatively simple laser system, and can work with precision beyond the so-called "fault-tolerant threshold" precision of approximately 99% - the precision necessary to implement the techniques of quantum error correction, without which a quantum computer of useful size cannot be built.'

In the long term, it is likely that different atomic elements will be required, rather than different isotopes. In closely related work published in the same issue of *Nature*, by Ting Rei Tan et al, the NIST Ion Storage

group has demonstrated a different type of [quantum](#) logic gate using ions of two different elements (beryllium and magnesium).

More information: Hybrid quantum logic and a test of Bell's inequality using two different atomic isotopes, [nature.com/articles/doi:10.1038/nature16184](https://doi.org/10.1038/nature16184)

Provided by University of Oxford

Citation: Rese demonstrates 'hybrid' logic gate as work towards quantum computer continues (2015, December 16) retrieved 4 May 2024 from <https://phys.org/news/2015-12-rese-hybrid-logic-gate-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.