

Singing in the brain: Songbirds sing like humans

12 January 2016, by Carol Clark



"In terms of vocal control, the bird brain appears as complicated and wonderful as the human brain," says Emory biologist Samuel Sober, shown in his lab with a pair of zebra finches. Credit: Ofer Tchernichovski

A songbirds' vocal muscles work like those of human speakers and singers, finds a study recently published in the *Journal of Neuroscience*. The research on Bengalese finches showed that each of their vocal muscles can change its function to help produce different parameters of sounds, in a manner similar to that of a trained opera singer.

"Our research suggests that producing really complex song relies on the ability of the [songbirds'](#) brains to direct complicated changes in combinations of muscles," says Samuel Sober, a biologist at Emory University and lead author of the study. "In terms of vocal control, the bird brain appears as complicated and wonderful as the human brain."

Pitch, for example, is important to songbird vocalization, but there is no single muscle devoted to controlling it. "They don't just contract one muscle to change [pitch](#)," Sober says. "They have

to activate a lot of different muscles in concert, and these changes are different for different vocalizations. Depending on what syllable the bird is singing, a particular muscle might increase pitch or decrease pitch."

Previous research has revealed some of the vocal mechanisms within the human "voice box," or larynx. The larynx houses the vocal cords and an array of muscles that help control pitch, amplitude and timbre.

Instead of a larynx, birds have a [vocal organ](#) called the syrinx, which holds their vocal cords deeper in their bodies. While humans have one set of [vocal cords](#), a songbird has two sets, enabling it to produce two different sounds simultaneously, in harmony with itself.

"Lots of studies look at brain activity and how it relates to behaviors, but muscles are what translates the brain's output into behavior," Sober says. "We wanted to understand the physics and biomechanics of what a songbird's muscles are doing while singing."

The researchers devised a method involving electromyography (EMG) to measure how the neural activity of the birds activates the production of a particular sound through the flexing of a particular vocal muscle.

The results showed the complex redundancy of the songbird's vocal muscles. "It tells us how complicated the neural computations are to control this really beautiful behavior," Sober says, adding that songbirds have a network of brain regions that non-songbirds do not.

More information: Multifunctional and Context-Dependent Control of Vocal Acoustics by Individual Muscles, *The Journal of Neuroscience*, 21 October 2015, 35(42): 14183-14194; [DOI: 10.1523/JNEUROSCI.3610-14.2015](#)

Provided by Emory University

APA citation: Singing in the brain: Songbirds sing like humans (2016, January 12) retrieved 22 September 2020 from <https://phys.org/news/2016-01-brain-songbirds-humans.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.