

New type of nanowires, built with natural gas heating

January 30 2016, by Joo Hyeon Heo



From top left are Professor Soojin Park, Dr. Sinho Choi, researcher Jieun Kim (KRICT) and from bottom left are Professor Sang Kyu Kwak and researcher Dae Yeon Hwang. Credit: UNIST. Contents by: Sinho Choi, Design by: Dukgi Lee

A team of Korean researchers, affiliated with UNIST has recently pioneered in developing a new simple nanowire manufacturing technique that uses self-catalytic growth process assisted by thermal decomposition

of natural gas. According to the research team, this method is simple, reproducible, size-controllable, and cost-effective in that lithium-ion batteries could also benefit from it.

In their approach, they discovered that germanium nanowires are grown by the reduction of germanium oxide particles and subsequent self-catalytic growth during the [thermal decomposition](#) of natural gas, and simultaneously, carbon sheath layers are uniformly coated on the nanowire surface.

This study is a collaboration among scientists, including Prof. SooJin Park (School of Energy and Chemical Engineering) and Prof. Sang Kyu Kwak (School of Energy and Chemical Engineering), Dr. Sinho Choi (UNIST), Combined M.S./Ph.D. Student Dae Yeon Hwang (UNIST), and Researcher Jieun Kim (Korea Research Institute of Chemical Technology).

In a study, reported in the January 21, 2016 issue of *Nano Letters*, the team demonstrated a new redox-responsive assembly method to synthesize hierarchically structured carbon-sheathed germanium nanowires (c-GeNWs) on a large scale by the use of self-catalytic growth process assisted by thermally decomposed [natural gas](#).

According to the team, this simple synthetic process not only enables them to synthesize hierarchically assembled materials from inexpensive metal oxides at a larger scale, but also can likely be extended to other metal oxides as well. Moreover, the resulting hierarchically assembled nanowires (C-GeNWs) show enhanced [chemical](#) and thermal stability, as well as outstanding electrochemical properties.

The team states, "This strategy may open up an effective way to make other metallic/semiconducting nanomaterials via one-step synthetic reactions through an environmentally benign and cost-effective

approach."

More information: Sinho Choi, Jieun Kim, Dae Yeon Hwang, Hyungmin Park, Jaegwon Ryu, Sang Kyu Kwak* and Soojin Park* "Generalized redox-responsive assembly of carbon-sheathed metallic and semiconducting nanowire heterostructures". *Nano Lett.* (2016)

Provided by Ulsan National Institute of Science and Technology

Citation: New type of nanowires, built with natural gas heating (2016, January 30) retrieved 17 April 2024 from <https://phys.org/news/2016-01-nanowires-built-natural-gas.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.