


Modern microbial ecosystems provide window to early life on Earth

February 3 2016



Elongate nested stromatolites, previously unknown in Hamelin Pool. Credit: Pamela Reid, Ph.D., UM Rosenstiel School of Marine and Atmospheric Science

New research from a University of Miami (UM) Rosenstiel School of Marine and Atmospheric Science-led science team provides new insight into one of the world's most diverse and extensive ecosystems of living microbes. The study offers a new perspective on the growth and structure of rare, microbial reefs, called stromatolites, which are a window into the emergence and evolution of life on Earth.

The international research team spent three years collecting data to map one of the few living stromatolite communities in the world, located in Shark Bay in Western Australia. The map of [stromatolites](#) produced by the scientists from an area in Shark Bay, called Hamelin Pool, revealed eight distinct "stromatolite provinces," each characterized by distinct morphological structures, many of which were previously unknown. The results altered previous growth models for Shark Bay stromatolites and documented the importance of mineral precipitation in the formation of the stromatolite framework, a feature shared with Precambrian stromatolites that date back three billion years.

Stromatolites are buildups of limestone, similar to coral reefs, but formed by microbial mats. The activities of the microorganisms, particularly cyanobacteria, result in accretion of grains and precipitation of cements. Fossilized remains of stromatolites hold ancient records of early life for 75 percent of Earth's history. Stromatolite-forming microbes generated the oxygen in the atmosphere that allowed the evolution of higher organisms, including humans.

"The stromatolites in Shark Bay are a spectacular living laboratory that should be the best studied microbial system in the world," said UM Rosenstiel School Professor of Marine Geosciences Pamela Reid, a co-author of the study.

Despite their abundance on early Earth, stromatolites are rare in the modern world and are not well understood. Modern stromatolites, such as

those in Shark Bay in Western Australia, develop in extreme, high saline environments where animal grazing and competition with organisms such as corals and seaweeds are scarce.

"The time to study Shark Bay stromatolites is now as they are vulnerable to rising sea levels in the coming decades" said lead author Erica Suosaari, UM Rosenstiel School alumna and current research fellow. "Continued monitoring and detailed studies of the Shark Bay World Heritage site will be critical for management and conservation of this unique landscape, and will advance our understanding of early Earth."

The new findings on morphological diversity, microbial communities, and mineral precipitation in living stromatolites in Shark Bay indicate the importance of this system as a window into early Earth, providing a basis for reconstructing ancient environments and understanding how [microbial communities](#) interacted with these environments.

The study, titled "New multi-scale perspectives on the stromatolites of Shark Bay, Western Australia," was published in the Feb. 3 online edition of the *Nature* journal *Scientific Reports*.

More information: E. P. Suosaari et al. New multi-scale perspectives on the stromatolites of Shark Bay, Western Australia, *Scientific Reports* (2016). [DOI: 10.1038/srep20557](https://doi.org/10.1038/srep20557)

Provided by University of Miami

Citation: Modern microbial ecosystems provide window to early life on Earth (2016, February 3) retrieved 19 September 2024 from <https://phys.org/news/2016-02-modern-microbial-ecosystems-window-early.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.