

# NASA, partner space agencies measure forests in Gabon

February 25 2016, by Maria-José Viñas

---



The layered forest of Lopé National Park (Gabon), is an area that NASA is studying with airborne radar and laser sensors during the AfriSAR campaign. Credit: NASA/Sassan Saatchi

A contingent of NASA airborne instruments and scientists on the ground has joined colleagues from space agencies in Gabon and Europe this month to study the dense African tropical forests in Gabon.

Gabon, a Central African country slightly smaller than the state of Colorado, is home to one of the most pristine rainforests on the planet. During the two-week-long NASA campaign, a collaboration with a European Space Agency (ESA) mission called AfriSAR, researchers are collecting measurements of plant mass, distribution of trees, shrubs and ground cover, and diversity of plant and animal species—not only from Gabon's rainforest but also from the country's wetlands, mangrove forests and savanna. ESA launched the first part of the AfriSAR field campaign in Gabon in July 2015, when teams led by the French national aerospace research center collected radar and [field measurements](#) of the country's forests. Now NASA and the German [space agency](#) have joined the second leg of the campaign.

The data will help prepare for and calibrate four current and upcoming spaceborne missions for NASA, ESA and the German space agency that aim to, among other goals, better gauge the role of forests in Earth's carbon cycle.

"One of the questions we're really interested in at NASA is balancing the global carbon budget," said Lola Fatoyinbo, a research scientist at NASA's Goddard Space Flight Center in Greenbelt, Maryland, and lead of NASA's contribution to the AfriSAR campaign. "We know how much carbon dioxide is being emitted into the atmosphere by fossil fuel emissions, but we don't have a good estimate of how much carbon is being taken up from the atmosphere and where it's stored - we think that forests absorb about a quarter of all these emissions, but we need better studies of forest biomass to confirm this."

"With AfriSAR, we're getting very accurate measurements of the 3D

structure of an ecosystem that is representative of the larger Congo Basin rainforest and of tropical forests in general, and this is going to allow us to get a better grip on how much carbon is stored in these ecosystems," Fatoyinbo said.

Gabon's forest is part of the Congolian tropical forests, altogether the second largest rainforest in the world after the Amazon. About 85 percent of the country's land is forest: only about 1.5 million people live there.

"The forests in Gabon are special: they are rich in plants and animals, but empty of people and intact in most places," said Sassan Saatchi, a senior scientist from NASA's Jet Propulsion Laboratory in Pasadena, California. He is part of the NASA AfriSAR team that operates the Uninhabited Aerial Vehicle Synthetic Aperture Radar (UAVSAR). The other NASA group participating in AfriSAR, led by Goddard scientist Bryan Blair, is in charge of the Land, Vegetation, and Ice Sensor (LVIS) instrument.

During the AfriSAR campaign, UAVSAR flies 40,000 feet high mounted beneath a C-20A aircraft from NASA's Armstrong Flight Research Center in Edwards, California. LVIS flies at 28,000 feet onboard a B-200 airplane from NASA's Langley Research Center in Hampton, Virginia. Both instruments collect measurements of surface topography and vegetation structure by sending out rapid pulses of either radio waves (UAVSAR) or laser light (LVIS) toward their targets. They then calculate the distance to objects below by measuring how long it takes for the signal to bounce back, creating 3D maps of the surface beneath.

"LVIS studies the vertical structure of the forests by measuring the elevation of everything the photons hit: the top of the canopy, all of the leaves and branches and finally the ground" said Blair, principal

investigator and developer of LVIS. "In [tropical forests](#), the challenge is to get the laser pulse all the way to the ground because the whole canopy is closed; there's very few holes for the photons to get through."

The data collected by LVIS will help calibrate and validate the information gathered by UAVSAR over the same targets, and vice-versa. The two datasets will also be compared to the airborne radar measurements that ESA and the German space agency are compiling during their current campaigns in Gabon. Finally, AfriSAR's ground teams from Goddard and JPL are performing several types of field measurements, such as tree width, forest structure and soil moisture, which will complement and refine the data gathered from the air.

Both NASA airborne instruments are test beds for future space missions. LVIS is the precursor to the Global Ecosystem Dynamics Investigation lidar (GEDI), a powerful laser altimeter that will be installed on the International Space Station in the near future to measure forests in 3D. UAVSAR will help develop the NASA-ISRO Synthetic Aperture Radar, or NISAR, a joint U.S. and Indian radar-based satellite mission set to launch in 2020. In turn, the European space agencies' radar measurements in Gabon are aimed to prepare for ESA's BIOMASS satellite mission, which will deploy in 2020. The German space agency will also compare the data to the measurements collected by its TanDEM-X satellite constellation, launched in 2010.

Furthermore, the forest data gathered in Gabon might help to inform policymakers working on climate mitigation and forest conservation policies, Saatchi said.

AfriSAR is NASA's first collaboration with Gabon's young space agency, AGEOS, and also its first large international campaign in Africa since NASA participated in a hydrological study of the Sahel in the early 1990s.

Provided by NASA's Goddard Space Flight Center

Citation: NASA, partner space agencies measure forests in Gabon (2016, February 25) retrieved 19 September 2024 from <https://phys.org/news/2016-02-nasa-partner-space-agencies-forests.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.