


Image: NASA's SDO captures mid-level solar flare

April 19 2016, by Karen C. Fox




NASA's Solar Dynamics Observatory captured this imagery of a solar flare – as seen in the bright flash – around 8:30 p.m. EDT on April 17, 2016. A loop of solar material can also be seen rising up off the right limb of the sun. Credit: NASA/SDO/Goddard

The sun emitted a mid-level solar flare, peaking at 8:29 pm EDT on April 17, 2016. NASA's Solar Dynamics Observatory, which watches the sun constantly, captured an image of the event. Solar flares are powerful bursts of radiation. Harmful radiation from a flare cannot pass through Earth's atmosphere to physically affect humans on the ground, however—when intense enough—they can disturb the atmosphere in the layer where GPS and communications signals travel.

NOAA's Space Weather Prediction Center states that "moderate radio blackouts were observed" during the peak of the flare. Such [radio blackouts](#) are only ongoing during the course of a flare, and so they have since subsided. NOAA's Space Weather Prediction Center is the U.S. government's official source for space weather forecasts, watches, warnings and alerts.

This flare is classified as an M6.7 class flare. M-class flares are a tenth the size of the most intense flares, the X-class flares. The number provides more information about its strength. An M2 is twice as intense as an M1, an M3 is three times as intense, etc.

This flare came from an area of complex magnetic activity on the sun – known as an [active region](#), and in this case labeled Active Region 2529 – which has sported a large dark spot, called a sunspot, over the past several days. This sunspot has changed shape and size as it slowly made its way across the sun's face over the past week and half. For much of that time, it was big enough to be visible from the ground without magnification and is currently large enough that almost five Earths could fit inside. This sunspot will rotate out of our view over the right side of the sun by April 20, 2016. Scientists study such sunspots in order to better understand what causes them to sometimes erupt with [solar flares](#).



A black spot on the sun is visible in the upper right of this image captured by NASA's Solar Dynamics Observatory. Such spots are evidence that this is an area of complex magnetic activity on the sun, which can sometimes lead to solar eruptions sending light and radiation out into space. This region produced a solar flare at 8:29 p.m. EDT on April 17, 2016. Credit: NASA/SDO/Goddard

Provided by NASA

Citation: Image: NASA's SDO captures mid-level solar flare (2016, April 19) retrieved 25 April 2024 from <https://phys.org/news/2016-04-image-nasa-sdo-captures-mid-level.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.