

Method stabilizes, enhances phosphorene

May 2 2016

Two years ago, Northwestern University's Mark Hersam discovered a way to stabilize exfoliated black phosphorus—or phosphorene—a layered semiconductor that chemically degrades in open air but shows great promise for electronics. By encapsulating it in aluminum oxide, he was able to stabilize phosphorene's reactivity to oxygen and water.

"The problem is that now the phosphorene is buried underneath the [aluminum oxide](#) coating, which limits what we can do with it," said Hersam, Walter P. Murphy Professor of Materials Science and Engineering at Northwestern's McCormick School of Engineering. "Wouldn't it be better if we could stabilize phosphorene without occluding its surface?"

Hersam and his team have done just that.

By using organic chemistry to covalently react a single-molecule-thick layer onto phosphorene, the team effectively imparted the same passivation it achieved with alumina back in 2014. But this time the layer is thin enough to leave access to the material's surface.

"If it's going to be useful for applications such as sensors, then whatever you want to detect needs to be able to interact with the material," Hersam said. "The thick layer of aluminum oxide prevented any atmospheric species from reaching the phosphorene surface, so it could not be used as a detector."

Supported by the Office of Naval Research and the Department of

Energy, the research is described online in the May 2, 2016 issue of the journal *Nature Chemistry*. Christopher Ryder, a graduate student in Hersam's laboratory, served as the paper's first author. Tobin J. Marks, Vladimir N. Ipatieff Professor of Catalytic Chemistry in the Weinberg College of Arts and Sciences and professor of materials science and engineering, and George Schatz, the Charles E. and Emma H. Morrison Professor of Chemistry and professor of chemical and biological engineering, also co-authored the paper.

In recent years, phosphorene has captured attention as a powerful semiconductor with high potential for use in thin, flexible electronics. Its instability in open air, however, has prevented it from being tested in possible applications, such as transistors, optoelectronics, sensors, or even batteries. Now it turns out that the covalently bonded, single-molecule-thick layer might even increase phosphorene's value for use in these applications. The team discovered that not only does the layer prevent phosphorene from degrading, but it also improves its electronic properties.

"The [chemistry](#) influenced the flow of charge through phosphorene," Hersam said. "We achieved improvement in charge mobility, which is related to the speed of the transistor, and how well it switches in an integrated circuit."

Now that Hersam's team has created a stable version of phosphorene, it plans to explore these potential applications. The next step is to create optimized devices based on phosphorene and compare them to devices made with alternative materials.

"We can imagine many possibilities," Hersam said. "The future will teach us exactly where [phosphorene](#) has a competitive advantage."

More information: Christopher R. Ryder et al. Covalent

functionalization and passivation of exfoliated black phosphorus via aryl diazonium chemistry, *Nature Chemistry* (2016). [DOI: 10.1038/nchem.2505](https://doi.org/10.1038/nchem.2505)

Provided by Northwestern University

Citation: Method stabilizes, enhances phosphorene (2016, May 2) retrieved 19 April 2024 from <https://phys.org/news/2016-05-method-stabilizes-phosphorene.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.