

# Measure of age in soil nitrogen could help precision agriculture

July 26 2016, by Liz Ahlberg Touchstone

---



Illinois professor Praveen Kumar and graduate student Dong K. Woo developed a model to tell the age of inorganic nitrogen in soil, which could help farmers more precisely apply fertilizer to croplands. Credit: L. Brian Stauffer

What's good for crops is not always good for the environment. Nitrogen,

a key nutrient for plants, can cause problems when it leaches into water supplies. University of Illinois engineers developed a model to calculate the age of nitrogen in corn and soybean fields, which could lead to improved fertilizer application techniques to promote crop growth while reducing leaching.

Civil and environmental engineering professor Praveen Kumar and graduate student Dong Kook Woo published their work in the journal *Water Resources Research*.

"By understanding how long [nitrogen](#) stays in the [soil](#) and the factors that drive that, we can improve the precision at which we apply nitrogen for agriculture productivity," said Kumar, also a professor of atmospheric sciences. "We may be able to apply fertilizer specifically in areas that are deficient in nitrogen, in precisely the amount that the plants need to uptake, rather than just applying it uniformly. Potentially, we could see a significant reduction in fertilizer amounts."

Plants take up nitrogen from the soil through their roots as a nutrient. Nitrogen is added to the soil through fertilizer application or by microbes in the soil breaking down organic compounds. However, when there is more nitrogen in the soil than the plants need, it leaches out into the [water](#) and can accumulate in lakes, rivers and oceans.

"Nitrogen, usually in the form of nitrate fertilizer, is needed for healthy crop production, but too much is not a good thing since the excess can contaminate water supplies," said Richard Yuretich, program director in the National Science Foundation's Division of Earth Sciences, which funded the research. "Knowing how long nitrate resides in the soil will lead to more efficient agriculture that maximizes plant health without overdosing the environment."

Kumar and Woo developed a numerical model to calculate how long

[inorganic nitrogen](#) has been in the soil, using a corn-corn-soybean rotation common in the Midwest. Fresh [fertilizer application](#) or microbial production of nitrates and ammonium are considered "birth," or [age](#) zero. The researchers then computed age by the chemical reactions or transformations nitrogen goes through in the soil, mediated by moisture, temperature and microbes.

The model revealed two surprising findings when comparing the average age of nitrogen in the topsoil with that in deeper layers, and in comparing corn fields with [soybean fields](#).

"The biggest surprise to me was that we found a lower average age of nitrogen in soybean fields," Woo said. "We use fertilizer on corn, not soybeans. Yet even though we count that fresh fertilizer as age zero, we found a lower average age of nitrogen in soybean fields. We found that is mainly because soybeans uptake the old nitrogen, so the average age is reduced."

When looking at the layers of soil, the researchers initially expected that nitrogen would follow a similar age path to water: newer on top, and growing older as it migrates down through the soil. However, they found that the nitrogen topsoil had a relatively high average age when compared with the water. Looking closer, they realized that one of the forms of nitrogen, ammonium, accumulated in the topsoil.

"Ammonium has a positive charge, which adheres to the soil particles and prevents it from leaching to the deeper layers," Woo said. "Because of that, we observe relatively higher nitrogen age in the upper layers, compared with the age of the nitrate that dissolves in water, which doesn't have that barrier and can migrate down through the soil."

The researchers have established a field site to validate their model by analyzing the isotopic composition of nitrogen, oxygen and water in the

runoff. They hope that their work can help farmers more efficiently use resources while also reducing contamination of water sources and marine habitats.

"The idea of using age for chemical analysis is not new, but no one has studied nitrogen age in the context of an agricultural setting," Kumar said. "By doing that, we are able to reveal patterns of stagnation in the soil, which is different than just using the concentration of nitrogen. The main idea is that there is a better way to apply [fertilizer](#) over a landscape than we do presently. We should be looking into more precise approaches."

**More information:** Dong K. Woo et al, Mean age distribution of inorganic soil-nitrogen, *Water Resources Research* (2016). [DOI: 10.1002/2015WR017799](#)

Provided by University of Illinois at Urbana-Champaign

Citation: Measure of age in soil nitrogen could help precision agriculture (2016, July 26)  
retrieved 1 May 2024 from  
<https://phys.org/news/2016-07-age-soil-nitrogen-precision-agriculture.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--