

A facelift for the Moon every 81,000 years

October 12 2016



A study estimates that asteroids and comets crashing into the moon create close to 180 new craters at least 10 metres in diameter every year

The Moon is bombarded by so much space rock that its surface gets a complete facelift every 81,000 years, according to a study released Wednesday based on NASA data.

This churn—affecting the top two centimetres (nearly an inch) of mostly loose [moon](#) dust—happens 100 times more frequently than previously

thought, scientists reported.

The study also estimates that asteroids and comets crashing into Earth's only natural satellite create, on average, 180 new craters at least 10 metres (33 feet) in diameter every year.

The findings, published in *Nature*, come from "before and after" pictures taken by NASA's Lunar Reconnaissance Orbiter spacecraft, which has been mapping the Moon since 2009.

By comparing images of the same area at regular intervals, a team of scientists led by Emerson Speyerer from Arizona State University in Tempe were able to tally the number of new craters and extrapolate to the entire surface of the Moon.

"We detected 222 new impact craters and found 33 percent more craters with a diameter of at least 10 metres than predicted" by earlier models, the researchers concluded.

The scientists also found thousands of subtler disturbances on the surface, which they described as "scars" from smaller, secondary impacts that -- over thousands of years -- churned up the top layer of the Moon without creating craters.

Earth is also constantly pelted by asteroids and meteors, but is protected by a thick atmosphere.

More than 100 tonnes of dust and sand-sized particles rain down on the planet every day.

Even space rocks up to 25 metres across (80 feet) will likely explode and disintegrate in the upper layers of our atmosphere, causing little or no damage, according to NASA.

The Moon's ultra-thin atmosphere only contains about 100 molecules of gases and elements per cubic centimetre (0.6 cubic inch).

Earth's atmosphere at sea level, by contrast, is packed with about 100 billion billion molecules per cubic centimetre.

More information: Emerson J. Speyerer et al. Quantifying crater production and regolith overturn on the Moon with temporal imaging, *Nature* (2016). [DOI: 10.1038/nature19829](https://doi.org/10.1038/nature19829)

© 2016 AFP

Citation: A facelift for the Moon every 81,000 years (2016, October 12) retrieved 26 April 2024 from <https://phys.org/news/2016-10-facelift-moon-years.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.