

# Effort to image black hole, a chance to rule on Einstein

November 4 2016, by Colleen Walsh

---



Astronomer and Radcliffe fellow Dimitrios Psaltis is working on black holes as part of the massive Event Horizon Telescope project that will point a number of Earth's telescopes at the Milky Way's black hole this spring. Credit: Jon Chase/Harvard Staff Photographer

Being an astrophysicist and father of two is no easy task. Just ask

Dimitrios Psaltis.

On a recent morning, the University of Arizona professor of astronomy and physics toggled between a recipe for French pancakes and a series of complex computer simulations tracing the outline of a black hole.

"Life goes on," said Psaltis, the 2016–2017 Shutzer Fellow at Harvard's Radcliffe Institute for Advanced Study, who is working on capturing the first-ever image of the massive dark void at the center of the Milky Way, the one scientists think is sucking up any matter or radiation that wanders too close to its event horizon, or point of no return.

"In the morning, you do black holes," said Psaltis, "in the evening, you make Nutella crepes for your kids."

Prioritizing his time is second nature for Psaltis, a lead scientist on the Event Horizon Telescope (EHT) project, a multinational effort involving more than 100 researchers, including his wife, former Radcliffe fellow Feryal Özel, and a series of super-powered radio telescopes scattered around the globe. Next spring those telescopes will turn the Earth into one giant eye when they all point to Sagittarius A\*—the black hole at the center of the galaxy first forecast by Albert Einstein and his theory of general relativity, and since then the subject of study by countless theoretical physicists, among them the famous cosmic detective Stephen Hawking.

During his fellowship, Psaltis will refine the computer simulations he and his team will use when analyzing EHT data to determine the black hole's size and shape. Their results could prove that Einstein's theory—the notion that gravity is due to the curvature of the continuum known as space-time—is exact. Or, perhaps, just a little bit off.

"What we are looking for is not a description of gravity," he said, "but

the description that happens to be the one that describes our universe."

To make those calculations, researchers will need to see what has thus far been invisible. But how exactly do you capture the image of a spinning, giant black abyss? You don't, said Psaltis. You take a picture of its shadow.

Swirling around Sagittarius A\* are charged particles that have been ejected from the surface of nearby stars. Moving at supersonic speeds, those particles heat up millions of degrees to form a shining mass of plasma, or "accretion disk," around the edge of the black hole before they are engulfed.

"The plasma is so hot that it is actually glowing in the radio waves detected by the telescopes," said Psaltis. "You put a black hole in front of that glowing plasma and you get a shadow, you get a silhouette."

But, as the special effects team for the movie "Interstellar" discovered, producing a realistic image of a black hole is hugely time-consuming. (Some individual frames of the film reportedly took 100 hours to render.) Eager to accelerate the process, Psaltis and his team hacked into their computer's graphics card, the circuit board that controls how images appear on the screen, and gave it a little something extra.

"We made it program those chips to do the rendering in the presence of a black hole. ... Our codes are so fast that now we use a type of Xbox to control the process with our hands because there's no way to type fast enough to do it."

If the image Psaltis and his colleagues produce is perfectly round, it will indicate Einstein was entirely correct. But if the image starts to warp and bend, it means his theory might need some tweaking.

"That nice circle that you see here has a particular size, has a particular shape only because Einstein's theory told us so," said Psaltis, pointing to a simulation on his screen. "If the theory is different, both the size and the shape will be different.

"The shape of the shadow can be used to tell us exactly what that gravitational field looks like outside that black hole," he added. "And by measuring that, either we will be able to say if Einstein's theory predicts it 100 percent, or if there are small tweaks that we need to add in order to get it right ... this is the smoking gun as far as Einstein's gravity is concerned."

Psaltis' current project has deep Harvard roots. In the 1990s, he and Özel were both on campus, Psaltis doing postdoctoral research, his future wife pursuing her Ph.D. Together they collaborated with Ramesh Narayan, the Thomas Dudley Cabot Professor of the Natural Sciences, on early simulations that explored what happens to the plasma around a black hole. That research helped determine that the radio wavelength that would give them the best chance at seeing the black hole's [event horizon](#) was roughly one millimeter long.

"We found that the plasma becomes more and more transparent as you go to a higher and higher frequency and that's what we calculated, where you need to make that observation in order to be able to peer through the plasma," said Psaltis. At one millimeter you "see the black hole's shadow," he said.

The work builds on research by Sheperd Doeleman, an astrophysicist at the Harvard-Smithsonian Center for Astrophysics and principal investigator for the Event Horizon project. It was Doeleman who first measured the size of the emitting region of the accretion disk, in 2008.

Skeptics persist. Despite its potential to advance understanding of [black](#)

[holes](#) and render a key scientific judgment on Einstein's work, research like Psaltis' leaves some doubting an effect for life on Earth when Sagittarius A\* is 26,000 light-years away. The native of Greece, who said he gets that question "all the time," dons his philosopher's hat to answer it. Such endeavors have a foot in both the past and future, he noted, and can also illuminate specific events and ideas, from the Big Bang to investigations into parallel universes.

Equally important is the notion that today's research might have its greatest impact tomorrow, Psaltis said. To make his case, he cited the work of the German mathematician Bernhard Riemann, who challenged the accepted model of Euclidian geometry in the 1800s by imagining a world in which two parallel lines ultimately crossed. Einstein would go on to base general relativity on Riemann's mathematical framework.

"Not even in his wildest dreams could Riemann have predicted that," said Psaltis. "But if he had not asked in the 1800s, 'Is there any way to make two parallel lines cross?' we would not have Einstein's theories, or GPS, since your phone makes calculations based on Einstein's theories to determine where you are.

"Abstract thought is good for intellectual curiosity," he added. "You never can tell where that can take you."

Provided by Harvard University

Citation: Effort to image black hole, a chance to rule on Einstein (2016, November 4) retrieved 26 April 2024 from <https://phys.org/news/2016-11-effort-image-black-hole-chance.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---